

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO
US Department of the Army

AUTHORIZING THE OPERATION OF
US Army Fort Bliss
National Security

LOCATED AT
El Paso County, Texas
Latitude 31° 48' 0" Longitude 106° 25' 0"
Regulated Entity Number: RN100210095

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: 02865 Issuance Date: _____

For the Commission

Table of Contents

| Section | Page |
|---|------|
| General Terms and Conditions | 1 |
| Special Terms and Conditions: | 1 |
| Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting..... | 1 |
| Additional Monitoring Requirements | 8 |
| New Source Review Authorization Requirements..... | 9 |
| Compliance Requirements | 10 |
| Risk Management Plan | 11 |
| Protection of Stratospheric Ozone | 11 |
| Temporary Fuel Shortages (30 TAC § 112.15)..... | 12 |
| Permit Location..... | 12 |
| Permit Shield (30 TAC § 122.148) | 12 |
| Attachments..... | 13 |
| Applicable Requirements Summary..... | 14 |
| Additional Monitoring Requirements | 201 |
| Permit Shield | 211 |
| New Source Review Authorization References | 290 |
| Appendix A | 304 |
| Acronym List | 305 |

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions:

Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.
 - C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.

- D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subparts ZZZZ, BBBBBB, and CCCCCC as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090, § 113.1370, and § 113.1380 which incorporates the 40 CFR Part 63 Subparts by reference.
 - F. The permit holder shall comply with the following 30 TAC Chapter 101, Subchapter H, Division 2 (Emissions Banking and Trading of Allowances) Requirements for an electric generating facility authorized under 30 TAC Chapter 116, Subchapter I:
 - (i) Title 30 TAC § 101.332 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.333 (relating to Allocation of Allowances)
 - (iii) Title 30 TAC § 101.334 (relating to Allowance Deductions)
 - (iv) Title 30 TAC § 101.335 (relating to Allowance Banking and Trading)
 - (v) Title 30 TAC § 101.336 (relating to Emission Monitoring and Compliance Demonstration and Reporting)
 - (vi) Title 30 TAC § 101.337 (relating to El Paso Region)
 - (vii) Title 30 TAC § 101.338 (relating to Emission Reductions Achieved Outside the United States)
 - (viii) The terms and conditions by which the emission limits are established to meet the quantity of allowances for the electric generating facility are applicable requirements of this permit
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)

- G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1 , shall not exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:
 - (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(1)(E)
 - (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
 - (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the “Applicable Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:
 - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
 - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the

minimum required value does not constitute creation of an alternative fuel.

- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.
 - (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be

considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

- B. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- C. Permit holders for sites that have materials handling, construction, roads, streets, alleys, and parking lots shall comply with the following requirements:
 - (i) Title 30 TAC § 111.143 (relating to Materials Handling)
 - (ii) Title 30 TAC § 111.145 (relating to Construction and Demolition)
 - (iii) Title 30 TAC § 111.147 (relating to Roads, Streets, and Alleys)
 - (iv) Title 30 TAC § 111.149 (relating to Parking Lots)
- D. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- E. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
 - (i) Title 30 TAC § 111.205 (relating to Exception for Fire Training)
 - (ii) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
 - (iii) Title 30 TAC § 111.215 (relating to TCEQ Executive Director Approval of Otherwise Prohibited Outdoor Burning)
 - (iv) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
 - (v) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)

4. For storage vessels maintaining working pressure as specified in 30 TAC Chapter 115, Subchapter B, Division 1: "Storage of Volatile Organic Compounds," the permit holder shall comply with the requirements of 30 TAC § 115.112(a)(1).
5. For Control of Reid Vapor Pressure of Gasoline specified in 30 TAC Chapter 115, Subchapter C, the permit holder shall comply with the following requirements:
 - A. Title 30 TAC § 115.252 (relating to Control Requirements)
 - B. Title 30 TAC § 115.253 (relating to Alternate Control Requirements)
 - C. Title 30 TAC § 115.255 (relating to Approved Test Methods)
 - D. Title 30 TAC § 115.256 (relating to Recordkeeping Requirements)
6. For the Control of Reid Vapor Pressure of Gasoline at a motor vehicle fuel dispensing facility, the permit holder shall comply with the following requirements specified in 30 TAC Chapter 115, Subchapter C:
 - A. Title 30 TAC § 115.252 (relating to Control Requirements)
 - B. Title 30 TAC § 115.253 (relating to Alternate Control Requirements)
 - C. Title 30 TAC § 115.255 (relating to Approved Test Methods)
 - D. Title 30 TAC § 115.257(2) (relating to Exemptions)
7. For Control of Reid Vapor Pressure of Gasoline at any tank, reservoir, storage vessel, or other stationary container with a nominal capacity of 500 gallons or less, the permit holder shall comply with the following requirements specified in 30 TAC Chapter 115, Subchapter C:
 - A. Title 30 TAC § 115.255 (relating to Approved Test Methods)
 - B. Title 30 TAC § 115.257(3) (relating to Exemptions)
8. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)

- H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)
- 9. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 61, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 61.05 (relating to Prohibited Activities)
 - B. Title 40 CFR § 61.07 (relating to Application for Approval of Construction or Modification)
 - C. Title 40 CFR § 61.09 (relating to Notification of Start-up)
 - D. Title 40 CFR § 61.10 (relating to Source Reporting and Request Waiver)
 - E. Title 40 CFR § 61.12 (relating to Compliance with Standards and Maintenance Requirements)
 - F. Title 40 CFR § 61.13 (relating to Emissions Tests and Waiver of Emission Tests)
 - G. Title 40 CFR § 61.14 (relating to Monitoring Requirements)
 - H. Title 40 CFR § 61.15 (relating to Modification)
 - I. Title 40 CFR § 61.19 (relating to Circumvention)
- 10. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 11. For each bulk gasoline plant specified in 40 CFR Part 63, Subpart BBBBBB, the permit holder shall comply with the following requirements (Title 30 TAC, Subchapter C, § 113.1370 incorporated by reference):
 - A. Title 40 CFR § 63.11086(d), for handling of gasoline
 - B. Title 40 CFR § 63.11085(a), for operation and maintenance of the affected source
 - C. Title 40 CFR § 63.11086(e), for Initial Notification
 - D. Title 40 CFR § 63.11086(f), for Notification of Compliance Status
 - E. Title 40 CFR § 63.11089(a), for leak inspections at the facility
 - F. Title 40 CFR § 63.11089(b) and (c), for log book maintenance and recordkeeping
 - G. Title 40 CFR § 63.11089(d), for delay of repair
 - H. Title 40 CFR § 63.11094(d), for recordkeeping
 - I. Title 40 CFR § 63.11094(e), for recordkeeping
 - J. Title 40 CFR § 63.11094(g), for recordkeeping

- K. Title 40 CFR § 63.11095(a)(3), (b), (b)(5), (c) and (d), for reporting
12. For each gasoline dispensing facility, with a throughput of less than 10,000 gallons per month as specified in 40 CFR Part 63, Subpart CCCCCC, the permit holder shall comply with the following requirements (Title 30 TAC, Subchapter C, § 113.1380 incorporated by reference):
- A. Title 40 CFR § 63.11111(e), for records of monthly throughput
 - B. Title 40 CFR § 63.11111(i), for compliance due to increase of throughput
 - C. Title 40 CFR § 63.11111(j), for dispensing from fixed tank into portable tank for on-site delivery
 - D. Title 40 CFR § 63.11113(c), for compliance due to increase of throughput
 - E. Title 40 CFR § 63.11115(a), for operation of the source
 - F. Title 40 CFR § 63.11116(a) and (a)(1) - (4), for work practices
 - G. Title 40 CFR § 63.11116(b), for records availability
 - H. Title 40 CFR § 63.11116(d), for portable gasoline containers
13. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

Additional Monitoring Requirements

14. The permit holder shall comply with the periodic monitoring requirements as specified in the attached "Periodic Monitoring Summary" upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the "Periodic Monitoring Summary," for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

15. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
16. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
17. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
18. The permit holder shall comply with the terms and conditions of the air addendum of the Municipal Solid Waste permit listed in the New Source Review Authorization Reference Attachment. Requirements other than those of the air addendum are not applicable to this operating permit.
19. The permit holder shall comply with the following requirements for Air Quality Standard Permits:
 - A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
 - B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
 - C. Requirements of the Electric Generating Unit Standard Permit for facilities located in the West Texas region based on the information contained in the registration application.

Compliance Requirements

20. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
21. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)-(d)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1
 - (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)-(d)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)
22. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116

- (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
 - (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Risk Management Plan

- 23. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

Protection of Stratospheric Ozone

- 24. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
 - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.
 - B. Any on site servicing, maintenance, and repair of fleet vehicle air conditioning using ozone-depleting refrigerants shall be conducted in accordance with 40 CFR Part 82, Subpart B. Permit holders shall ensure that repairs or refrigerant removal are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart B.

- C. The permit holder shall comply with 40 CFR Part 82, Subpart D related to the procurement requirements of Class I or Class II (ozone-depleting) substances or products containing those substances as specified in 40 CFR § 82.80 - § 82.86 and the applicable Part 82 Appendices.
- D. The permit holder shall comply with 40 CFR Part 82, Subpart F related to the disposal requirements for appliances using Class I or Class II (ozone-depleting) substances or non-exempt substitutes as specified in 40 CFR §§ 82.150 - 82.166 and the applicable Part 82 Appendices.
- E. The permit holder shall comply with 40 CFR Part 82, Subpart H related to Halon Emissions Reduction requirements as specified in 40 CFR § 82.250 - § 82.270 and the applicable Part 82 Appendices.

Temporary Fuel Shortages (30 TAC § 112.15)

- 25. The permit holder shall comply with the following 30 TAC Chapter 112 requirements:
 - A. Title 30 TAC § 112.15 (relating to Temporary Fuel Shortage Plan Filing Requirements)
 - B. Title 30 TAC § 112.16(a), (a)(1), and (a)(2)(B) - (C) (relating to Temporary Fuel Shortage Plan Operating Requirements)
 - C. Title 30 TAC § 112.17 (relating to Temporary Fuel Shortage Plan Notification Procedures)
 - D. Title 30 TAC § 112.18 (relating to Temporary Fuel Shortage Plan Reporting Requirements)

Permit Location

- 26. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

- 27. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary 15

Applicable Requirements Summary 35

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---|--------------------------|---------------------|--|-------------------------|
| EC001 | Emission Points/Stationary Vents/Process Vents | N/A | R111A1 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| EC001 | Boilers/Steam Generators/Steam Generating Units | N/A | R112A | 30 TAC Chapter 112, Sulfur Compounds | No changing attributes. |
| EC001 | Boilers/Steam Generators/Steam Generating Units | N/A | 60Dc | 40 CFR Part 60, Subpart Dc | No changing attributes. |
| IC001-03 | SRIC Engines | N/A | 63ZZZZ-IC001- 03 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-04 | SRIC Engines | N/A | 60JJJJ-IC001-04 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-04 | SRIC Engines | N/A | 63ZZZZ-IC001- 04 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-05 | SRIC Engines | N/A | 60JJJJ-IC001-05 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-05 | SRIC Engines | N/A | 63ZZZZ-IC001- 05 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-06 | SRIC Engines | N/A | 60JJJJ-IC001-06 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-06 | SRIC Engines | N/A | 63ZZZZ-IC001- 06 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-07 | SRIC Engines | N/A | 63ZZZZ-IC001- 07 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-08 | SRIC Engines | N/A | 60JJJJ-IC001-08 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC001-08 | SRIC Engines | N/A | 63ZZZZ-IC001-08 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-09 | SRIC Engines | N/A | 60JJJJ-IC001-09 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-09 | SRIC Engines | N/A | 63ZZZZ-IC001-09 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-10 | SRIC Engines | N/A | 60JJJJ-IC001-10 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-10 | SRIC Engines | N/A | 63ZZZZ-IC001-10 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-11 | SRIC Engines | N/A | 60JJJJ-IC001-11 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-11 | SRIC Engines | N/A | 63ZZZZ-IC001-11 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-12 | SRIC Engines | N/A | 60JJJJ-IC001-12 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-12 | SRIC Engines | N/A | 63ZZZZ-IC001-12 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-13 | SRIC Engines | N/A | 63ZZZZ-IC001-13 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-14 | SRIC Engines | N/A | 60JJJJ-IC001-14 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-14 | SRIC Engines | N/A | 63ZZZZ-IC001-14 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-15 | SRIC Engines | N/A | 60JJJJ-IC001-15 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC001-15 | SRIC Engines | N/A | 63ZZZZ-IC001-15 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-16 | SRIC Engines | N/A | 60JJJJ-IC001-16 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-16 | SRIC Engines | N/A | 63ZZZZ-IC001-16 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC001-17 | SRIC Engines | N/A | 60JJJJ-IC001-17 | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC001-17 | SRIC Engines | N/A | 63ZZZZ-IC001-17 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-02 | SRIC Engines | N/A | 60III-IC002-02 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-02 | SRIC Engines | N/A | 63ZZZZ-IC002-02 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-04 | SRIC Engines | N/A | 60III-IC002-04 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-04 | SRIC Engines | N/A | 63ZZZZ-IC002-04 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-05 | SRIC Engines | N/A | 63ZZZZ-IC002-05 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-06 | SRIC Engines | N/A | 63ZZZZ-IC002-06 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-07 | SRIC Engines | N/A | 60III-IC002-07 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-07 | SRIC Engines | N/A | 63ZZZZ-IC002-07 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-08 | SRIC Engines | N/A | 60III-IC002-08 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-08 | SRIC Engines | N/A | 63ZZZZ-IC002-08 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-09 | SRIC Engines | N/A | 60III-IC002-09 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-09 | SRIC Engines | N/A | 63ZZZZ-IC002-09 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-10 | SRIC Engines | N/A | 60III-IC002-10 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-10 | SRIC Engines | N/A | 63ZZZZ-IC002-10 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-11 | SRIC Engines | N/A | 63ZZZZ-IC002-11 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-12 | SRIC Engines | N/A | 60III-IC002-12 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-12 | SRIC Engines | N/A | 63ZZZZ-IC002-12 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-13 | SRIC Engines | N/A | 60III-IC002-13 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-13 | SRIC Engines | N/A | 63ZZZZ-IC002-13 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-14 | SRIC Engines | N/A | 60III-IC002-14 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-14 | SRIC Engines | N/A | 63ZZZZ-IC002-14 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-15 | SRIC Engines | N/A | 60III-IC002-15 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-15 | SRIC Engines | N/A | 63ZZZZ-IC002-15 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-16 | SRIC Engines | N/A | 63ZZZZ-IC002-16 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-17 | SRIC Engines | N/A | 60III-IC002-17 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-17 | SRIC Engines | N/A | 63ZZZZ-IC002-17 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-18 | SRIC Engines | N/A | 63ZZZZ-IC002-18 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-20 | SRIC Engines | N/A | 60III-IC002-20 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-20 | SRIC Engines | N/A | 63ZZZZ-IC002-20 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-21 | SRIC Engines | N/A | 63ZZZZ-IC002-21 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-23 | SRIC Engines | N/A | 60III-IC002-23 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-23 | SRIC Engines | N/A | 63ZZZZ-IC002-23 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-24 | SRIC Engines | N/A | 63ZZZZ-IC002-24 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-25 | SRIC Engines | N/A | 63ZZZZ-IC002-25 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-26 | SRIC Engines | N/A | 60III-IC002-26 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-26 | SRIC Engines | N/A | 63ZZZZ-IC002-26 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-27 | SRIC Engines | N/A | 60III-IC002-27 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-27 | SRIC Engines | N/A | 63ZZZZ-IC002-27 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-28 | SRIC Engines | N/A | 63ZZZZ-IC002-28 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-29 | SRIC Engines | N/A | 63ZZZZ-IC002-29 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-30 | SRIC Engines | N/A | 60III-IC002-30 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-30 | SRIC Engines | N/A | 63ZZZZ-IC002-30 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-31 | SRIC Engines | N/A | 60III-IC002-31 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-31 | SRIC Engines | N/A | 63ZZZZ-IC002-31 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-33 | SRIC Engines | N/A | 60III-IC002-33 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-33 | SRIC Engines | N/A | 63ZZZZ-IC002-33 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-34 | SRIC Engines | N/A | 63ZZZZ-IC002-34 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-35 | SRIC Engines | N/A | 60III-IC002-35 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-35 | SRIC Engines | N/A | 63ZZZZ-IC002-35 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-36 | SRIC Engines | N/A | 60III-IC002-36 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-36 | SRIC Engines | N/A | 63ZZZZ-IC002-36 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-37 | SRIC Engines | N/A | 63ZZZZ-IC002-37 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-38 | SRIC Engines | N/A | 63ZZZZ-IC002-38 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-39 | SRIC Engines | N/A | 60III-IC002-39 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-39 | SRIC Engines | N/A | 63ZZZZ-IC002-39 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-40 | SRIC Engines | N/A | 63ZZZZ-IC002-40 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-41 | SRIC Engines | N/A | 60III-IC002-41 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-41 | SRIC Engines | N/A | 63ZZZZ-IC002-41 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-42 | SRIC Engines | N/A | 60III-IC002-42 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-42 | SRIC Engines | N/A | 63ZZZZ-IC002-42 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-43 | SRIC Engines | N/A | 60III-IC002-43 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-43 | SRIC Engines | N/A | 63ZZZZ-IC002-43 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-44 | SRIC Engines | N/A | 60III-IC002-44 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-44 | SRIC Engines | N/A | 63ZZZZ-IC002-44 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-45 | SRIC Engines | N/A | 60III-IC002-45 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-45 | SRIC Engines | N/A | 63ZZZZ-IC002-45 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-46 | SRIC Engines | N/A | 63ZZZZ-IC002-46 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-47 | SRIC Engines | N/A | 63ZZZZ-IC002-47 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-48 | SRIC Engines | N/A | 63ZZZZ-IC002-48 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-49 | SRIC Engines | N/A | 60III-IC002-49 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-49 | SRIC Engines | N/A | 63ZZZZ-IC002-49 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-50 | SRIC Engines | N/A | 60III-IC002-50 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-50 | SRIC Engines | N/A | 63ZZZZ-IC002-50 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-51 | SRIC Engines | N/A | 60III-IC002-51 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-51 | SRIC Engines | N/A | 63ZZZZ-IC002-51 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-52 | SRIC Engines | N/A | 60III-IC002-52 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-52 | SRIC Engines | N/A | 63ZZZZ-IC002-52 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-53 | SRIC Engines | N/A | 60III-IC002-53 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-53 | SRIC Engines | N/A | 63ZZZZ-IC002-53 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-54 | SRIC Engines | N/A | 60III-IC002-54 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-54 | SRIC Engines | N/A | 63ZZZZ-IC002-54 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-55 | SRIC Engines | N/A | 60III-IC002-55 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-55 | SRIC Engines | N/A | 63ZZZZ-IC002-55 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-56 | SRIC Engines | N/A | 60III-IC002-56 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-56 | SRIC Engines | N/A | 63ZZZZ-IC002-56 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-57 | SRIC Engines | N/A | 60III-IC002-57 | 40 CFR Part 60, Subpart III | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-57 | SRIC Engines | N/A | 63ZZZZ-IC002-57 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-58 | SRIC Engines | N/A | 60III-IC002-58 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-58 | SRIC Engines | N/A | 63ZZZZ-IC002-58 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-59 | SRIC Engines | N/A | 60III-IC002-59 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-59 | SRIC Engines | N/A | 63ZZZZ-IC002-59 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-60 | SRIC Engines | N/A | 60III-IC002-60 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-60 | SRIC Engines | N/A | 63ZZZZ-IC002-60 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-61 | SRIC Engines | N/A | 60III-IC002-61 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-61 | SRIC Engines | N/A | 63ZZZZ-IC002-61 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-62 | SRIC Engines | N/A | 60III-IC002-62 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-62 | SRIC Engines | N/A | 63ZZZZ-IC002-62 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-63 | SRIC Engines | N/A | 60III-IC002-63 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-63 | SRIC Engines | N/A | 63ZZZZ-IC002-63 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC002-64 | SRIC Engines | N/A | 63ZZZZ-IC002-64 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC002-65 | SRIC Engines | N/A | 60III-IC002-65 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC002-65 | SRIC Engines | N/A | 63ZZZZ-IC002-65 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-01 | SRIC Engines | N/A | 60III-IC003-01 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-01 | SRIC Engines | N/A | 63ZZZZ-IC003-01 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-02 | SRIC Engines | N/A | 60III-IC003-02 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-02 | SRIC Engines | N/A | 63ZZZZ-IC003-02 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-03 | SRIC Engines | N/A | 60III-IC003-03 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-03 | SRIC Engines | N/A | 63ZZZZ-IC003-03 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-04 | SRIC Engines | N/A | 60III-IC003-04 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-04 | SRIC Engines | N/A | 63ZZZZ-IC003-04 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-05 | SRIC Engines | N/A | 60III-IC003-05 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-05 | SRIC Engines | N/A | 63ZZZZ-IC003-05 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--------------|--------------------------|-----------------|------------------------------|-------------------------|
| IC003-07 | SRIC Engines | N/A | 63ZZZZ-IC003-07 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-08 | SRIC Engines | N/A | 63ZZZZ-IC003-08 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-09 | SRIC Engines | N/A | 63ZZZZ-IC003-09 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-10 | SRIC Engines | N/A | 63ZZZZ-IC003-10 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-11 | SRIC Engines | N/A | 63ZZZZ-IC003-11 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-12 | SRIC Engines | N/A | 60III-IC003-12 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-12 | SRIC Engines | N/A | 63ZZZZ-IC003-12 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-13 | SRIC Engines | N/A | 60III-IC003-13 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-13 | SRIC Engines | N/A | 63ZZZZ-IC003-13 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-14 | SRIC Engines | N/A | 60III-IC003-14 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-14 | SRIC Engines | N/A | 63ZZZZ-IC003-14 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-15 | SRIC Engines | N/A | 60III-IC003-15 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-15 | SRIC Engines | N/A | 63ZZZZ-IC003-15 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---------------------------------|--------------------------|-----------------|--|-------------------------|
| IC003-16 | SRIC Engines | N/A | 60III-IC003-16 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-16 | SRIC Engines | N/A | 63ZZZZ-IC003-16 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-17 | SRIC Engines | N/A | 60III-IC003-17 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-17 | SRIC Engines | N/A | 63ZZZZ-IC003-17 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC003-18 | SRIC Engines | N/A | 60III-IC003-18 | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC003-18 | SRIC Engines | N/A | 63ZZZZ-IC003-18 | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC007 | SRIC Engines | N/A | 60JJJJ | 40 CFR Part 60, Subpart JJJJ | No changing attributes. |
| IC007 | SRIC Engines | N/A | 63ZZZZ | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| IC008 | SRIC Engines | N/A | 60III | 40 CFR Part 60, Subpart III | No changing attributes. |
| IC008 | SRIC Engines | N/A | 63ZZZZ | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| LR003 | Loading/Unloading Operations | N/A | R115C1 | 30 TAC Chapter 115, Loading and Unloading of VOC | No changing attributes. |
| LR004 | Loading/Unloading Operations | N/A | R115C1 | 30 TAC Chapter 115, Loading and Unloading of VOC | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--|--------------------------|---------------|--|-------------------------|
| MO004 | Msw / Waste Disposal Site | N/A | R113D1 | 30 TAC Chapter 113, Municipal Solid Waste Landfill | No changing attributes. |
| MO004 | Msw / Waste Disposal Site | N/A | R115B5 | 30 TAC Chapter 115, Mun. Solid Waste Landfills | No changing attributes. |
| MO004 | Msw / Waste Disposal Site | N/A | 61M | 40 CFR Part 61, Subpart M | No changing attributes. |
| MO006 | Emission Points/Stationary Vents/Process Vents | N/A | R111A1 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| MO007 | Emission Points/Stationary Vents/Process Vents | N/A | R1111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| MO008 | Emission Points/Stationary Vents/Process Vents | N/A | R115B2 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| MO008 | Emission Points/Stationary Vents/Process Vents | N/A | R115B2 | 30 TAC Chapter 115, Vent Gas Controls | No changing attributes. |
| MO009 | Emission Points/Stationary Vents/Process Vents | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| MO009 | Emission Points/Stationary Vents/Process Vents | N/A | R115B2 | 30 TAC Chapter 115, Vent Gas Controls | No changing attributes. |
| MO010 | Emission Points/Stationary Vents/Process Vents | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--|--------------------------|---------------|--|-------------------------|
| MO010 | Emission Points/Stationary Vents/Process Vents | N/A | R115B2 | 30 TAC Chapter 115, Vent Gas Controls | No changing attributes. |
| SC001 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC002 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC003 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC004 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC005 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC006 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC008 | Surface Coating Operations | N/A | R5421-SC008 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC009 | Surface Coating Operations | N/A | R5421-SC009 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|-------------------------------|--------------------------|---------------|--|-------------------------|
| SC010 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC012 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC013 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC014 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC015 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC016 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC017 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC018 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC019 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---------------------------------|--------------------------|---------------|--|-------------------------|
| SC020 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC021 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC022 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC023 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| SC024 | Surface Coating Operations | N/A | R115E2 | 30 TAC Chapter 115, Surface Coating Operations | No changing attributes. |
| ST005A | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST005B | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST005C | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST006 | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST006 | Loading/Unloading Operations | N/A | 63BBBBBB | 40 CFR Part 63, Subpart BBBBBB | No changing attributes. |
| ST009 | Storage Tanks/Vessels | N/A | 63CCCCC-01 | 40 CFR Part 63, Subpart CCCCC | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|-----------------------|--------------------------|---------------|--|-------------------------|
| ST011A | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011B | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011C | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011D | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011E | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011F | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011G | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011H | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011I | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST011J | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012A | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012B | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012E | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---------------------------------|--------------------------|---------------|--|-------------------------|
| ST012F | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012I | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012J | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012K | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012L | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST012M | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST013A | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST013B | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST013C | Storage Tanks/Vessels | N/A | R5112 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST021A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST022A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST026 | Loading/Unloading Operations | N/A | R115C1 | 30 TAC Chapter 115, Loading and Unloading of VOC | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|--|--------------------------|---------------|--|-------------------------|
| ST026A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST026B | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST027 | Loading/Unloading Operations | N/A | R115C1 | 30 TAC Chapter 115, Loading and Unloading of VOC | No changing attributes. |
| ST027A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST027B | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST028A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST029A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| ST030A | Storage Tanks/Vessels | N/A | R115B1 | 30 TAC Chapter 115, Storage of VOCs | No changing attributes. |
| SU001 | Solvent Degreasing Machines | N/A | R115E1 | 30 TAC Chapter 115, Degreasing Processes | No changing attributes. |
| SU002 | Solvent Degreasing Machines | N/A | R115E1 | 30 TAC Chapter 115, Degreasing Processes | No changing attributes. |
| SU005 | Emission Points/Stationary Vents/Process Vents | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| SU005 | Emission Points/Stationary Vents/Process Vents | N/A | R115B2 | 30 TAC Chapter 115, Vent Gas Controls | No changing attributes. |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|---|---|--|---|---|
| EC001 | EP | R111A1 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |
| EC001 | EU | R112A | SO ₂ | 30 TAC Chapter 112, Sulfur Compounds | § 112.9(a) § 112.9(b) | No person may cause, suffer, allow, or permit emissions of SO ₂ from any liquid fuel-fired steam generator, furnace, or heater to exceed 440 ppmv at actual stack conditions and averaged over 3-hours. | § 112.2(a) ** See Periodic Monitoring Summary | § 112.2(c) | § 112.2(b) |
| EC001 | EU | 60Dc | SO ₂ | 40 CFR Part 60, Subpart Dc | § 60.42c(e) § 60.40c(c) § 60.42c(e)(2) § 60.42c(h) § 60.42c(i) § 60.42c(j) | A facility that combusts oil with any other fuel shall not discharge into the atmosphere any gases that contain sulfur dioxide in excess of the emission limit determined according to the formula in § 60.42c(e)(2). | § 60.44c(a) [G]§ 60.44c(e) § 60.44c(h) § 60.44c(j) § 60.46c(e) | [G]§ 60.48c(e) [G]§ 60.48c(f) § 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i) | [G]§ 60.48c(a) § 60.48c(b) § 60.48c(d) [G]§ 60.48c(e) § 60.48c(j) |
| EC001 | EU | 60Dc | PM | 40 CFR Part 60, Subpart Dc | § 60.40c(a) | This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW). | None | § 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i) | [G]§ 60.48c(a) § 60.48c(j) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|--------------|---------------------------------------|--|--|---|---|--|
| EC001 | EU | 60Dc | PM (Opacity) | 40 CFR Part 60, Subpart Dc | § 60.40c(a) | This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW). | None | § 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i) | [G]§ 60.48c(a) § 60.48c(j) |
| IC001-03 | EU | 63ZZZZ-IC001-03 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.5 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(j) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary SI RICE; black start stationary SI RICE; non-emergency, non-black start 4SLB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year; non-emergency, non-black start 4SRB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year, located at an area source, you must comply with the requirements as specified in Table 2d.5.a-c. | § 63.6625(f) § 63.6625(j) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(j) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC001-04 | EU | 60JJJJ-IC001-04 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-04 | EU | 60JJJJ-IC001-04 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-04 | EU | 63ZZZZ-IC001-04 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|---|-------------------------------------|--|--|
| IC001-05 | EU | 60JJJJ-IC001-05 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-05 | EU | 60JJJJ-IC001-05 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-05 | EU | 63ZZZZ-IC001-05 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC001-06 | EU | 60JJJJ-IC001-06 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-06 | EU | 60JJJJ-IC001-06 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-06 | EU | 63ZZZZ-IC001-06 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|---|---|--|
| IC001-07 | EU | 63ZZZZ-IC001-07 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table 2d.5 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(j) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary SI RICE; black start stationary SI RICE; non-emergency, non-black start 4SLB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year; non-emergency, non-black start 4SRB stationary RICE with a site rating greater than 500 HP that operates 24 hours or less per calendar year, located at an area source, you must comply with the requirements as specified in Table 2d.5.a-c. | § 63.6625(f) § 63.6625(j) § 63.6640(a) § 63.6640(a)-Table 6.9.a.i § 63.6640(a)-Table 6.9.a.ii § 63.6640(b) | § 63.6625(j) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC001-08 | EU | 60JJJJ-IC001-08 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-08 | EU | 60JJJJ-IC001-08 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-08 | EU | 63ZZZZ-IC001-08 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|---|-------------------------------------|--|--|
| IC001-09 | EU | 60JJJJ-IC001-09 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-09 | EU | 60JJJJ-IC001-09 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-09 | EU | 63ZZZZ-IC001-09 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC001-10 | EU | 60JJJJ-IC001-10 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-10 | EU | 60JJJJ-IC001-10 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP ³ -hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-10 | EU | 63ZZZZ-IC001-10 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-11 | EU | 60JJJJ-IC001-11 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-11 | EU | 60JJJJ-IC001-11 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC001-11 | EU | 63ZZZZ-IC001-11 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC001-12 | EU | 60JJJJ-IC001-12 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-12 | EU | 60JJJJ-IC001-12 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP ³ -hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-12 | EU | 63ZZZZ-IC001-12 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC001-13 | EU | 63ZZZZ-IC001-13 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC001-14 | EU | 60JJJJ-IC001-14 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-14 | EU | 60JJJJ-IC001-14 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-14 | EU | 63ZZZZ-IC001-14 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-15 | EU | 60JJJJ-IC001-15 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-15 | EU | 60JJJJ-IC001-15 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC001-15 | EU | 63ZZZZ-IC001-15 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC001-16 | EU | 60JJJJ-IC001-16 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table 1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC001-16 | EU | 60JJJJ-IC001-16 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than or equal to 100 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP ³ -hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | [G]§ 60.4245(e) |
| IC001-16 | EU | 63ZZZZ-IC001-16 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|------------------------|---------------------------------------|---|---|-------------------------------------|--|--|
| IC001-17 | EU | 60JJJJ-IC001-17 | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with a CO emission limit of 387 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |
| IC001-17 | EU | 60JJJJ-IC001-17 | HC and NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(d)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) [G]§ 60.4243(d) § 60.4243(g) § 60.4246 | Owners and operators of stationary emergency SI ICE with a maximum engine power greater than 25 HP and less than 130 HP and were manufactured on or after 01/01/2009 must comply with an HC+NO _x emission limit of 10 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4237(c) | § 60.4243(a)(1) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) § 60.4245(b) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC001-17 | EU | 63ZZZ-IC001-17 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-02 | EU | 60IIII-IC002-02 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-02 | EU | 60III-IC002-02 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-02 | EU | 60III-IC002-02 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-02 | EU | 63ZZZZ-IC002-02 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-04 | EU | 60IIII-IC002-04 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-04 | EU | 60III-IC002-04 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-04 | EU | 60III-IC002-04 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-04 | EU | 63ZZZZ-IC002-04 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-05 | EU | 63ZZZZ-IC002-05 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-06 | EU | 63ZZZZ-IC002-06 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-07 | EU | 60IIII-IC002-07 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-07 | EU | 60III-IC002-07 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-07 | EU | 60III-IC002-07 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-07 | EU | 63ZZZ-IC002-07 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-08 | EU | 60IIII-IC002-08 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-08 | EU | 60III-IC002-08 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-08 | EU | 60III-IC002-08 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-08 | EU | 63ZZZZ-IC002-08 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-09 | EU | 60IIII-IC002-09 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-09 | EU | 60III-IC002-09 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-09 | EU | 60III-IC002-09 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-09 | EU | 63ZZZ-IC002-09 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-10 | EU | 60IIII-IC002-10 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with a CO emission limit of 5.0 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-10 | EU | 60III-IC002-10 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with an NMHC+NOx emission limit of 10.5 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |
| IC002-10 | EU | 60III-IC002-10 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with a PM emission limit of 0.80 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-10 | EU | 63ZZZZ-IC002-10 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-11 | EU | 63ZZZZ-IC002-11 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|-----------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-12 | EU | 60III-IC002-12 | CO | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4-fn2 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW but less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2010-2012 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2009 model year. In that event, the owners and operators must comply with a CO emission limit of 5.0 g/KW-hr as listed in Table 4 (Footnote 2) to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-12 | EU | 60III-IC002-12 | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4-fn2 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW but less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2010-2012 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2009 model year. In that event, the owners and operators must comply with an NMHC+NOx emission limit of 10.5 g/KW-hr as listed in Table 4 (Footnote 2) to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-12 | EU | 60III-IC002-12 | PM | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4-fn2 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW but less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2010-2012 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2009 model year. In that event, the owners and operators must comply with a PM emission limit of 0.80 g/KW-hr as listed in Table 4 (Footnote 2) to this subpart. | None | None | [G]§ 60.4214(d) |
| IC002-12 | EU | 63ZZZ-IC002-12 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-13 | EU | 60III-IC002-13 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-13 | EU | 60III-IC002-13 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-13 | EU | 60III-IC002-13 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-13 | EU | 63ZZZZ-IC002-13 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-14 | EU | 60III-IC002-14 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-14 | EU | 60III-IC002-14 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-14 | EU | 60III-IC002-14 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-14 | EU | 63ZZZZ-IC002-14 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-15 | EU | 60III-IC002-15 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-15 | EU | 60III-IC002-15 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-15 | EU | 60III-IC002-15 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-15 | EU | 63ZZZZ-IC002-15 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|---|---|--|
| IC002-16 | EU | 63ZZZZ-IC002-16 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table 2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table 6.9.a.i § 63.6640(a)-Table 6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-17 | EU | 60IIII-IC002-17 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(c)-Table 4-fn3 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 130 KW but less than 450 KW and a displacement of less than 30 liters per cylinder and is a 2009-2011 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2008 model year. In that event, the owners and operators must comply with a CO emission limit of 3.5 g/KW-hr as listed in Table 4 (Footnote 3) to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-17 | EU | 60III-IC002-17 | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4-fn3 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 130 KW but less than 450 KW and a displacement of less than 30 liters per cylinder and is a 2009-2011 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2008 model year. In that event, the owners and operators must comply with an NMHC+NOx emission limit of 10.5 g/KW-hr as listed in Table 4 (Footnote 3) to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|-------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-17 | EU | 60III-IC002-17 | PM | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4-fn3 § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 130 KW but less than 450 KW and a displacement of less than 30 liters per cylinder and is a 2009-2011 model year and has a rated speed of greater than 2650 RPMs may comply with the emission limitations for the 2008 model year. In that event, the owners and operators must comply with a PM emission limit of 0.54 g/KW-hr as listed in Table 4 (Footnote 3) to this subpart. | None | None | [G]§ 60.4214(d) |
| IC002-17 | EU | 63ZZZ-IC002-17 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-18 | EU | 63ZZZZ-IC002-18 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-20 | EU | 60III-IC002-20 | CO | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-20 | EU | 60III-IC002-20 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-20 | EU | 60III-IC002-20 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-20 | EU | 63ZZZZ-IC002-20 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-21 | EU | 63ZZZZ-IC002-21 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-23 | EU | 60III-IC002-23 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-23 | EU | 60III-IC002-23 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-23 | EU | 60III-IC002-23 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-23 | EU | 63ZZZZ-IC002-23 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-24 | EU | 63ZZZZ-IC002-24 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-25 | EU | 63ZZZZ-IC002-25 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-26 | EU | 60IIII-IC002-26 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-26 | EU | 60III-IC002-26 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-26 | EU | 60III-IC002-26 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-26 | EU | 63ZZZ-IC002-26 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-27 | EU | 60IIII-IC002-27 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-27 | EU | 60III-IC002-27 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-27 | EU | 60III-IC002-27 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-27 | EU | 63ZZZZ-IC002-27 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-28 | EU | 63ZZZZ-IC002-28 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-29 | EU | 63ZZZZ-IC002-29 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-30 | EU | 60III-IC002-30 | CO | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-30 | EU | 60III-IC002-30 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-30 | EU | 60III-IC002-30 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-30 | EU | 63ZZZ-IC002-30 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-31 | EU | 60IIII-IC002-31 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-31 | EU | 60III-IC002-31 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-31 | EU | 60III-IC002-31 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-31 | EU | 63ZZZ-IC002-31 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-33 | EU | 60IIII-IC002-33 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-33 | EU | 60III-IC002-33 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-33 | EU | 60III-IC002-33 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-33 | EU | 63ZZZZ-IC002-33 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-34 | EU | 63ZZZZ-IC002-34 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-35 | EU | 60III-IC002-35 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-35 | EU | 60III-IC002-35 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|-------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-35 | EU | 60III-IC002-35 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-35 | EU | 63ZZZ-IC002-35 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC002-36 | EU | 60III-IC002-36 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(1)(i) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 19 KW and less than 37 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(1)(i)-(ii) and 40 CFR 89.112(a) and Table 2 to this subpart. | None | None | [G]§ 60.4214(d) |
| IC002-36 | EU | 60III-IC002-36 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(1)(i) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power less than 37 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 7.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(1)(i)-(ii) and 40 CFR 89.112(a) and Table 2 to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC002-36 | EU | 60III-IC002-36 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(1)(i) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 19 KW and less than 37 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year must comply with a PM emission limit of 0.60 g/KW-hr, as stated in 40 CFR 60.4202(a)(1)(i) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-36 | EU | 63ZZZZ-IC002-36 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-37 | EU | 63ZZZZ-IC002-37 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-38 | EU | 63ZZZZ-IC002-38 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-39 | EU | 60IIII-IC002-39 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-39 | EU | 60III-IC002-39 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-39 | EU | 60III-IC002-39 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC002-39 | EU | 63ZZZZ-IC002-39 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC002-40 | EU | 63ZZZZ-IC002-40 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-41 | EU | 60III-IC002-41 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-41 | EU | 60III-IC002-41 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-41 | EU | 60III-IC002-41 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-41 | EU | 63ZZZZ-IC002-41 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-42 | EU | 60III-IC002-42 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-42 | EU | 60III-IC002-42 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-42 | EU | 60III-IC002-42 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-42 | EU | 63ZZZZ-IC002-42 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-43 | EU | 60III-IC002-43 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-43 | EU | 60III-IC002-43 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-43 | EU | 60III-IC002-43 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-43 | EU | 63ZZZZ-IC002-43 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-44 | EU | 60III-IC002-44 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-44 | EU | 60III-IC002-44 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-44 | EU | 60III-IC002-44 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-44 | EU | 63ZZZZ-IC002-44 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-45 | EU | 60III-IC002-45 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-45 | EU | 60III-IC002-45 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-45 | EU | 60III-IC002-45 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-45 | EU | 63ZZZZ-IC002-45 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-46 | EU | 63ZZZZ-IC002-46 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-47 | EU | 63ZZZZ-IC002-47 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-48 | EU | 63ZZZZ-IC002-48 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-49 | EU | 60III-IC002-49 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-49 | EU | 60III-IC002-49 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year must comply with an NMHC+NO _x emission limit of 7.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-49 | EU | 60III-IC002-49 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-49 | EU | 63ZZZZ-IC002-49 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-50 | EU | 60III-IC002-50 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-50 | EU | 60III-IC002-50 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year must comply with an NMHC+NO _x emission limit of 7.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-50 | EU | 60III-IC002-50 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-50 | EU | 63ZZZZ-IC002-50 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-51 | EU | 60III-IC002-51 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-51 | EU | 60III-IC002-51 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-51 | EU | 60III-IC002-51 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-51 | EU | 63ZZZZ-IC002-51 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-52 | EU | 60III-IC002-52 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-52 | EU | 60III-IC002-52 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-52 | EU | 60III-IC002-52 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-52 | EU | 63ZZZZ-IC002-52 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-53 | EU | 60III-IC002-53 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-53 | EU | 60III-IC002-53 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-53 | EU | 60III-IC002-53 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-53 | EU | 63ZZZZ-IC002-53 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-54 | EU | 60III-IC002-54 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-54 | EU | 60III-IC002-54 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-54 | EU | 60III-IC002-54 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-54 | EU | 63ZZZZ-IC002-54 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-55 | EU | 60III-IC002-55 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-55 | EU | 60III-IC002-55 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-55 | EU | 60III-IC002-55 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.30 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-55 | EU | 63ZZZZ-IC002-55 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-56 | EU | 60III-IC002-56 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-56 | EU | 60III-IC002-56 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-56 | EU | 60III-IC002-56 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-56 | EU | 63ZZZZ-IC002-56 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-57 | EU | 60III-IC002-57 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-57 | EU | 60III-IC002-57 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-57 | EU | 60III-IC002-57 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-57 | EU | 63ZZZZ-IC002-57 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-58 | EU | 60III-IC002-58 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-58 | EU | 60III-IC002-58 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-58 | EU | 60III-IC002-58 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-58 | EU | 63ZZZZ-IC002-58 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-59 | EU | 60III-IC002-59 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-59 | EU | 60III-IC002-59 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-59 | EU | 60III-IC002-59 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-59 | EU | 63ZZZZ-IC002-59 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-60 | EU | 60III-IC002-60 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-60 | EU | 60III-IC002-60 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-60 | EU | 60III-IC002-60 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-60 | EU | 63ZZZZ-IC002-60 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-61 | EU | 60III-IC002-61 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-61 | EU | 60III-IC002-61 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC002-61 | EU | 60III-IC002-61 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-61 | EU | 63ZZZZ-IC002-61 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-62 | EU | 60III-IC002-62 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-62 | EU | 60III-IC002-62 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-62 | EU | 60III-IC002-62 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-62 | EU | 63ZZZZ-IC002-62 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-63 | EU | 60III-IC002-63 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-63 | EU | 60III-IC002-63 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-63 | EU | 60III-IC002-63 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-63 | EU | 63ZZZZ-IC002-63 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC002-64 | EU | 63ZZZZ-IC002-64 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC002-65 | EU | 60III-IC002-65 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 130 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 5.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-65 | EU | 60III-IC002-65 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2008 model year and later, must comply with an NMHC+NO _x emission limit of 4.7 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC002-65 | EU | 60III-IC002-65 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 37 KW and less than 75 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.40 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC002-65 | EU | 63ZZZ-IC002-65 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-01 | EU | 60IIII-IC003-01 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-01 | EU | 60III-IC003-01 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-01 | EU | 60III-IC003-01 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-01 | EU | 63ZZZZ-IC003-01 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-02 | EU | 60IIII-IC003-02 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-02 | EU | 60III-IC003-02 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-02 | EU | 60III-IC003-02 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-02 | EU | 63ZZZ-IC003-02 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-03 | EU | 60IIII-IC003-03 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-03 | EU | 60III-IC003-03 | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-03 | EU | 60III-IC003-03 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-03 | EU | 63ZZZ-IC003-03 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-04 | EU | 60IIII-IC003-04 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-04 | EU | 60III-IC003-04 | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-04 | EU | 60III-IC003-04 | PM | 40 CFR Part 60, Subpart III | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-04 | EU | 63ZZZ-IC003-04 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-05 | EU | 60IIII-IC003-05 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-05 | EU | 60III-IC003-05 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-05 | EU | 60III-IC003-05 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|---|--|-------------------------------------|--|--|
| IC003-05 | EU | 63ZZZZ-IC003-05 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-07 | EU | 63ZZZZ-IC003-07 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|---|---|--|
| IC003-08 | EU | 63ZZZZ-IC003-08 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC003-09 | EU | 63ZZZZ-IC003-09 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|---|---|---|--|
| IC003-10 | EU | 63ZZZZ-IC003-10 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |
| IC003-11 | EU | 63ZZZZ-IC003-11 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.4 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(i) § 63.6640(b) § 63.6640(f)(1) [G]§ 63.6640(f)(2) [G]§ 63.6640(f)(4) | For each existing emergency stationary CI RICE and black start stationary CI RICE, located at an area source, you must comply with the requirements as specified in Table 2d.4.a-c. | § 63.6625(f) § 63.6625(i) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(i) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6655(f) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC003-12 | EU | 60III-IC003-12 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-12 | EU | 60III-IC003-12 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-12 | EU | 60III-IC003-12 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-12 | EU | 63ZZZZ-IC003-12 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-13 | EU | 60III-IC003-13 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-13 | EU | 60III-IC003-13 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-13 | EU | 60III-IC003-13 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-13 | EU | 63ZZZZ-IC003-13 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC003-14 | EU | 60III-IC003-14 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-14 | EU | 60III-IC003-14 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-14 | EU | 60III-IC003-14 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-14 | EU | 63ZZZZ-IC003-14 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-15 | EU | 60III-IC003-15 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-15 | EU | 60III-IC003-15 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-15 | EU | 60III-IC003-15 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-15 | EU | 63ZZZZ-IC003-15 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-16 | EU | 60III-IC003-16 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-16 | EU | 60III-IC003-16 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-16 | EU | 60III-IC003-16 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-16 | EU | 63ZZZZ-IC003-16 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-17 | EU | 60III-IC003-17 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-17 | EU | 60III-IC003-17 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than 560 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NO _x emission limit of 6.4 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-17 | EU | 60III-IC003-17 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-17 | EU | 63ZZZZ-IC003-17 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|----------------|--------------------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-18 | EU | 60III-IC003-18 | CO | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-18 | EU | 60III-IC003-18 | NMHC and NO _x | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 75 KW and less than or equal to 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|-----------------|-------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC003-18 | EU | 60III-IC003-18 | PM | 40 CFR Part 60, Subpart IIII | § 60.4205(b) § 60.4202(a)(2) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) [G]§ 60.4211(f) § 60.4218 § 89.112(a) | Owners and operators of emergency stationary CI ICE, that are not fire pump engines, with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a PM emission limit of 0.20 g/KW-hr, as stated in 40 CFR 60.4202(a)(2) and 40 CFR 89.112(a). | None | None | [G]§ 60.4214(d) |
| IC003-18 | EU | 63ZZZZ-IC003-18 | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC007 | EU | 60JJJJ | CO | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) § 60.4243(e) § 60.4243(g) § 60.4246 | Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a CO emission limit of 2.0 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4243(e) | § 60.4243(a)(1) § 60.4243(e) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) | None |
| IC007 | EU | 60JJJJ | NO _x | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) § 60.4243(e) § 60.4243(g) § 60.4246 | Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a NO _x emission limit of 1.0 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4243(e) | § 60.4243(a)(1) § 60.4243(e) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) | None |
| IC007 | EU | 60JJJJ | VOC | 40 CFR Part 60, Subpart JJJJ | § 60.4233(e)-Table1 § 60.4234 § 60.4243(b) § 60.4243(b)(1) § 60.4243(e) § 60.4243(g) § 60.4246 | Owners and operators of stationary non-emergency natural gas engines with a maximum engine power greater than or equal to 500 HP and were manufactured on or after 07/01/2010 must comply with a VOC emission limit of 0.7 g/HP-hr, as listed in Table 1 to this subpart. | § 60.4243(e) | § 60.4243(a)(1) § 60.4243(e) § 60.4245(a)(1) § 60.4245(a)(2) § 60.4245(a)(3) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|----------------|---------------------------------------|--|--|-------------------------------------|--|--|
| IC007 | EU | 63ZZZZ | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| IC008 | EU | 60IIII | CO | 40 CFR Part 60, Subpart IIII | § 60.4204(b) § 60.4201(a) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) § 60.4218 § 89.112(a) | Owners and operators of non-emergency stationary CI ICE with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 model year and later must comply with a CO emission limit of 3.5 g/KW-hr as stated in 40 CFR 60.4201(a) and 40 CFR 89.112(a) and 40 CFR 1039.102 and 40 CFR 1039.101. | § 60.4209(b) | § 60.4214(c) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------------------|---------------------------------------|---|---|-------------------------------------|--|--|
| IC008 | EU | 60III | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4204(b) § 60.4201(a) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) § 60.4218 § 89.112(a) | Owners and operators of non-emergency stationary CI ICE with a maximum engine power greater than or equal to 75 KW but less than 560 KW and a displacement of less than 10 liters per cylinder and is a 2007 - 2013 model year must comply with an NMHC+NOx emission limit of 4.0 g/KW-hr as stated in 40 CFR 60.4201(a) and 40 CFR 89.112(a) and 40 CFR 1039.102. | § 60.4209(b) | § 60.4214(c) | None |
| IC008 | EU | 60III | PM (Opacity) | 40 CFR Part 60, Subpart III | § 60.4204(b) § 60.4201(a) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) § 60.4218 § 89.113(a)(1) § 89.113(a)(2) § 89.113(a)(3) | Owners and operators of non-emergency stationary CI ICE with a displacement of less than 10 liters per cylinder and is not a constant-speed engine and is a 2007 model year and later must comply with the following opacity emission limits: 20% during the acceleration mode, 15% during the lugging mode, and 50% during the peaks in either the acceleration or lugging modes as stated in 40 CFR 60.4201(a)-(c) and 40 CFR 89.113(a)(1)-(3) and 40 CFR 1039.105(b)(1)-(3). | § 60.4209(b) | § 60.4214(c) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-------------|---------------------------------------|--|---|-------------------------------------|--|--|
| IC008 | EU | 60III | PM | 40 CFR Part 60, Subpart III | § 60.4204(b) § 60.4201(a) § 60.4206 § 60.4207(b) [G]§ 60.4211(a) § 60.4211(c) § 60.4218 § 89.112(a) | Owners and operators of non-emergency stationary CI ICE with a maximum engine power greater than or equal to 130 KW and less than or equal to 2237 KW and a displacement of less than 10 liters per cylinder and is a 2007 - 2010 model year must comply with a PM emission limit of 0.20 g/KW-hr as stated in 40 CFR 60.4201(a) and 40 CFR 89.112(a). | § 60.4209(b) | § 60.4214(c) | None |
| IC008 | EU | 63ZZZ | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart III, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|---|--|---|
| LR003 | EU | R115C1 | VOC | 30 TAC Chapter 115, Loading and Unloading of VOC | § 115.217(a)(2)(B) § 115.212(a)(2) [G]§ 115.212(a)(7) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i) | Gasoline bulk plants which load less than 4,000 gallons of gasoline into transport vessels per day are exempt from the requirements of this division, except for the specified requirements. | § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.214(a)(1)(B) | § 115.216 § 115.216(3)(D) | None |
| LR004 | EU | R115C1 | VOC | 30 TAC Chapter 115, Loading and Unloading of VOC | § 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i) | Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified. | § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4) | § 115.216 § 115.216(2) § 115.216(3)(B) | None |
| MO004 | EU | R113D1 | NMOC | 30 TAC Chapter 113, Municipal Solid Waste Landfill | § 113.2061(a) § 60.752(b) § 60.752(b)(1)(ii)(A) [G]§ 60.752(c) [G]§ 60.752(d) | Municipal solid waste landfill, as defined in §113.2060, shall comply with all provisions specified in §§ 60.751-60.759, and where the term "Administrator" shall refer to the commission. | § 60.752(b)(1)(ii) § 60.754(a)(1) § 60.754(a)(1)(i) § 60.754(a)(1)(ii) § 60.754(a)(2) § 60.754(a)(2)(i) § 60.754(a)(3) § 60.754(a)(3)(i) § 60.754(a)(3)(iii) § 60.754(a)(4) § 60.754(a)(4)(ii) § 60.754(a)(5) § 60.754(c) | § 60.758(a) | § 113.2069(a) § 113.2069(b) § 60.752(b)(1)(i) § 60.752(b)(1)(ii)(B) § 60.757(a) [G]§ 60.757(a)(1) [G]§ 60.757(a)(2) § 60.757(b) [G]§ 60.757(b)(1) § 60.757(b)(2) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------|--|---|---|---|---|--|
| MO004 | EU | R115B5 | NMOC | 30 TAC Chapter 115, Mun. Solid Waste Landfills | § 115.152(a) | In specified counties, do not operate municipal solid waste landfill (MSWLF) unless the nonmethane organic compounds (NMOC) emission rate has been calculated using the specified procedures. | [G]§ 115.155 | § 115.156(1) | [G]§ 115.156(3) |
| MO004 | PRO | 61M | 112(B) HAPS | 40 CFR Part 61, Subpart M | § 61.154(a) [G]§ 61.154(b) § 61.154(e)(3) § 61.154(g) | There shall be no visible emissions to air from any active waste disposal site where asbestos-containing waste material has been deposited, or the requirements of §61.154(c) or (d) must be met. | ** See Periodic Monitoring Summary | [G]§ 61.154(e)(1) § 61.154(e)(4) § 61.154(f) § 61.154(i) | [G]§ 61.153(a)(5) § 61.153(b) § 61.154(e)(2) § 61.154(h) § 61.154(i) [G]§ 61.154(j) |
| MO006 | EP | R111A1 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |
| MO007 | EP | R1111 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------|---------------------------------------|---|--|-------------------------------------|--|--|
| MO008 | EP | R115B2 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six-minute period for any source on which construction was begun after January 31, 1972. The emissions from this vent originate from colorless VOCs, non-fuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance. | None | None | None |
| MO008 | EP | R115B2 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |
| MO008 | EP | R115B2 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(B) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream specified in § 115.121(a)(1) of this title with a concentration of VOC < 612 ppmv is exempt from § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------|---------------------------------------|---|--|-------------------------------------|--|--|
| MO009 | EP | R111 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six-minute period for any source on which construction was begun after January 31, 1972. The emissions from this vent originate from colorless VOCs, non-fuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance. | None | None | None |
| MO009 | EP | R115B2 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------|---------------------------------------|---|--|-------------------------------------|--|--|
| MO010 | EP | R111 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six-minute period for any source on which construction was begun after January 31, 1972. The emissions from this vent originate from colorless VOCs, non-fuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance. | None | None | None |
| MO010 | EP | R115B2 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC001 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC002 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC003 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC004 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC005 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC006 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC008 | PRO | R5421-SC008 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC009 | PRO | R5421-SC009 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC010 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC012 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC013 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC014 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC015 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC016 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC017 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC018 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC019 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC020 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC021 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC022 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| SC023 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|--|---|--|---|---|
| SC024 | PRO | R115E2 | VOC | 30 TAC Chapter 115, Surface Coating Operations | § 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations | The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations |
| ST005A | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST005B | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST005C | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-------------|---------------------------------------|---|--|--|---|---|
| ST006 | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.112(a)(1) | Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a). | [G]§ 115.117 ** See Periodic Monitoring Summary | § 115.118(a)(5) § 115.118(a)(7) | None |
| ST006 | EU | 63BBBBBB | 112(B) HAPS | 40 CFR Part 63, Subpart BBBBBB | § 63.11086 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart BBBBBB | The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart BBBBBB | The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart BBBBBB | The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart BBBBBB | The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart BBBBBB |
| ST009 | EU | 63CCCCC C-01 | 112(B) HAPS | 40 CFR Part 63, Subpart CCCCC | § 63.11117(b)(3) § 63.11111(c) § 63.11111(i) § 63.11115(a) § 63.11117(a) § 63.11117(b) § 63.11124(a) § 63.11124(a)(3) § 63.11130-Table 3 | Submerged fill pipes not meeting the specifications of paragraphs (b)(1) or (b)(2) of this section are allowed if the owner or operator can demonstrate that the liquid level in the tank is always above the entire opening of the fill pipe. Documentation providing such demonstration must be made available for inspection by the Administrator's delegated representative during the course of a site visit. | § 63.11117(b)(3) | § 63.11111(e) § 63.11117(b)(3) § 63.11117(d) [G]§ 63.11125(d) | § 63.11126(b) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|---|---|-------------------------------------|---|--|
| ST011A | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011B | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011C | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011D | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011E | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|---|---|-------------------------------------|---|--|
| ST011F | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011G | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011H | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011I | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST011J | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|---|---|-------------------------------------|---|--|
| ST012A | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012B | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012E | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012F | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012I | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|---|---|-------------------------------------|---|--|
| ST012J | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012K | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012L | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST012M | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST013A | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|---|---|--|---|--|
| ST013B | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST013C | EU | R5112 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST021A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST022A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST026 | EU | R115C1 | VOC | 30 TAC Chapter 115, Loading and Unloading of VOC | § 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i) | Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified. | § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4) | § 115.216 § 115.216(2) § 115.216(3)(B) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|---|---|--|---|--|
| ST026A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST026B | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST027 | EU | R115C1 | VOC | 30 TAC Chapter 115, Loading and Unloading of VOC | § 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i) | Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified. | § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4) | § 115.216 § 115.216(2) § 115.216(3)(B) | None |
| ST027A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST027B | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|--|---|--|---|---|--|
| ST028A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.112(a)(1) § 115.112(a)(3) | Tanks shall not store VOC unless the required pressure is maintained, or they are equipped with the appropriate control device specified in Table I(a) or Table II(a). | § 115.115(a) § 115.115(a)(6) [G]§ 115.117 | § 115.118(a)(4) § 115.118(a)(4)(F) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST029A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| ST030A | EU | R115B1 | VOC | 30 TAC Chapter 115, Storage of VOCs | § 115.111(a)(1) | Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division. | [G]§ 115.117 | § 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7) | None |
| SU001 | EU | R115E1 | VOC | 30 TAC Chapter 115, Degreasing Processes | § 115.412(1) § 115.411(1) § 115.411(2) [G]§ 115.412(1)(A) § 115.412(1)(C) [G]§ 115.412(1)(F) | Cold solvent cleaning. No person shall own or operate a system utilizing a VOC for the cold solvent cleaning of objects without the controls listed in §115.412(1)(A)-(F). | [G]§ 115.415(1) § 115.415(3) ** See Periodic Monitoring Summary | None | None |
| SU002 | EU | R115E1 | VOC | 30 TAC Chapter 115, Degreasing Processes | § 115.412(1) § 115.411(1) § 115.411(2) [G]§ 115.412(1)(A) § 115.412(1)(C) [G]§ 115.412(1)(F) | Cold solvent cleaning. No person shall own or operate a system utilizing a VOC for the cold solvent cleaning of objects without the controls listed in §115.412(1)(A)-(F). | [G]§ 115.415(1) § 115.415(3) ** See Periodic Monitoring Summary | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------|---------------------------------------|---|--|-------------------------------------|--|--|
| SU005 | EP | R111 | PM (Opacity) | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six-minute period for any source on which construction was begun after January 31, 1972. The emissions from this vent originate from colorless VOCs, non-fuming liquids, or other sources that are not capable of obstructing the transmission of light. These vents are not capable of exceeding the opacity standards of 30 TAC Chapter 111 and therefore no monitoring is required to demonstrate compliance. | None | None | None |
| SU005 | EP | R115B2 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |

Additional Monitoring Requirements

Periodic Monitoring Summary 202

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|---|-----------------------------------|
| ID No.: EC001 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R111A1 |
| Pollutant: PM (Opacity) | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Visible Emissions | |
| Minimum Frequency: once per calendar quarter | |
| Averaging Period: n/a | |
| Deviation Limit: No visible emissions or opacity exceeding 20%. | |
| <p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|---------------------------|
| ID No.: EC001 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 112, Sulfur Compounds | SOP Index No.: R112A |
| Pollutant: SO ₂ | Main Standard: § 112.9(a) |
| Monitoring Information | |
| Indicator: Sulfur content | |
| Minimum Frequency: Per fuel shipment | |
| Averaging Period: N/A | |
| Deviation Limit: Sulfur concentration in fuel oil must not exceed 0.5% by weight | |
| Periodic Monitoring Text: For each shipment of diesel fuel that is received for EC001, a sulfur content analysis statement will be obtained from the supplier. These statements will be filed on site and made available upon request. | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|---|----------------------------|
| ID No.: MO004 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 40 CFR Part 61, Subpart M | SOP Index No.: 61M |
| Pollutant: 112(B) HAPS | Main Standard: § 61.154(a) |
| Monitoring Information | |
| Indicator: Visible emissions | |
| Minimum Frequency: Once per calendar quarter | |
| Averaging Period: N/A | |
| Deviation Limit: No visible emissions allowed | |
| Periodic Monitoring Text: For the area in the landfill where asbestos is disposed of, a Test Method 22 shall be performed quarterly. A deviation shall be reported if visible emissions are detected during the Test Method 22 observation. | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|---|-----------------------------------|
| ID No.: MO006 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R111A1 |
| Pollutant: PM (Opacity) | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Visible Emissions | |
| Minimum Frequency: once per calendar quarter | |
| Averaging Period: n/a | |
| Deviation Limit: No visible emissions or opacity exceeding 20%. | |
| <p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|---|-----------------------------------|
| ID No.: MO007 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R1111 |
| Pollutant: PM (Opacity) | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Visible Emissions | |
| Minimum Frequency: once per calendar quarter | |
| Averaging Period: n/a | |
| Deviation Limit: Maximum Opacity = 20% | |
| <p>Periodic Monitoring Text: Visible emissions observations shall be made and recorded. Note that to properly determine the presence of visible emissions, all sources must be in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 miles, away from the emission source during the observation. The observer shall select a position where the sun is not directly in the observer's eyes. If the observations cannot be conducted due to weather conditions, the date, time, and specific weather conditions shall be recorded. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor.</p> <p>If visible emissions are observed, the permit holder shall report a deviation. As an alternative, the permit holder may determine the opacity consistent with Test Method 9, as soon as practicable, but no later than 24 hours after observing visible emissions. If the result of the Test Method 9 is opacity above the opacity limit in the applicable requirement, the permit holder shall report a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|--------------------------------|
| ID No.: ST006 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 115, Storage of VOCs | SOP Index No.: R115B1 |
| Pollutant: VOC | Main Standard: § 115.112(a)(1) |
| Monitoring Information | |
| Indicator: Record of Tank Construction Specifications | |
| Minimum Frequency: n/a | |
| Averaging Period: n/a | |
| Deviation Limit: Failure to keep records of tank construction specifications showing the location of the fill pipe | |
| <p>Periodic Monitoring Text: Keep a record of tank construction specifications (e.g. engineering drawings) that show a fill pipe that extends from the top of a tank to have a maximum clearance of six inches (15.2 centimeters) from the bottom or, when the tank is loaded from the side, a discharge opening entirely submerged when the pipe used to withdraw liquid from the tank can no longer withdraw liquid in normal operation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|---|--------------------------------|
| ID No.: ST006 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 115, Storage of VOCs | SOP Index No.: R115B1 |
| Pollutant: VOC | Main Standard: § 115.112(a)(1) |
| Monitoring Information | |
| Indicator: Structural Integrity of the Pipe | |
| Minimum Frequency: emptied and degassed | |
| Averaging Period: n/a | |
| Deviation Limit: Failure to conduct and record inspection of fill pipe when storage vessel is emptied and degassed or failure to repair fill pipe prior to refilling the storage vessel. | |
| <p>Periodic Monitoring Text: Inspect to determine the structural integrity of the fill pipe and record each time the storage vessel is emptied and degassed to ensure that it continues to meet the specifications in the above requirement. If the structural integrity of the fill pipe is in question, repairs shall be made before the storage vessel is refilled. It shall be considered and reported as a deviation if the repairs are not completed prior to refilling the storage vessel.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|-----------------------------|
| ID No.: SU001 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 115, Degreasing Processes | SOP Index No.: R115E1 |
| Pollutant: VOC | Main Standard: § 115.412(1) |
| Monitoring Information | |
| Indicator: Visual Inspection | |
| Minimum Frequency: 25% of units per quarter | |
| Averaging Period: n/a | |
| Deviation Limit: Failure to conduct a visual inspection or any monitoring data that indicates noncompliance with 30 TAC 115.412 (1) (A)-(F). | |
| <p>Periodic Monitoring Text: Due to the large number of degreasing units a documented visual inspection of 25% of the total units per quarter shall be conducted to ensure compliance with the applicable requirements in 30 TAC 115.412(1)(A)-(F). This will be in conjunction with visual inspections that are currently in practice by the user when the unit is being utilized. During these regular uses if at anytime a malfunction occurs; a notification is sent, no use occurs, and the unit is fixed. Any monitoring data which indicates that the cold cleaner is not in compliance with the applicable requirements of 30 TAC 115.412(1)(A)-(F) shall be considered and reported as a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|-----------------------------|
| ID No.: SU002 | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 115, Degreasing Processes | SOP Index No.: R115E1 |
| Pollutant: VOC | Main Standard: § 115.412(1) |
| Monitoring Information | |
| Indicator: Visual Inspection | |
| Minimum Frequency: 25% of units per quarter | |
| Averaging Period: n/a | |
| Deviation Limit: Failure to conduct a visual inspection or any monitoring data that indicates noncompliance with 30 TAC § 115.412(1)(A)-(F) | |
| <p>Periodic Monitoring Text: Due to the large number of degreasing units a documented visual inspection of 25% of the total units per quarter shall be conducted to ensure compliance with the applicable requirements in 30 TAC § 115.412(1)(A)-(F). This will be in conjunction with visual inspections that are currently in practice by the user when the unit is being utilized. During these regular uses if at anytime a malfunction occurs; a notification is sent, no use occurs, and the unit is fixed. Any monitoring data which indicates that the cold cleaner is not in compliance with the applicable requirements of 30 TAC 115.412(1)(A)-(F) shall be considered and reported as a deviation.</p> | |

Permit Shield

Permit Shield 212

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|--|
| ID No. | Group/Inclusive Units | | |
| AB001 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| AB002 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| AB003 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| AB004 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| AB005 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| EC001 | N/A | 30 TAC Chapter 113, Hos/Med/Inf Waste Incinerators | Not applicable since this is not a waste incinerator. |
| EC001 | N/A | 30 TAC Chapter 115, Vent Gas Controls | Vent is used for combustion exhaust for which the combustion unit is not used as a control device for a vent gas stream. |
| EC001 | N/A | 30 TAC Chapter 117, Subchapter B | Not applicable since 30 TAC Chapter 117, Subchapter B does not apply to El Paso county. |
| EC001 | N/A | 30 TAC Chapter 117, Utility Electric Generation | Not applicable since 30 TAC Chapter 117, Subchapter C does not apply to El Paso county. |
| EC001 | N/A | 40 CFR Part 60, Subpart Da | Not applicable by definition - not an electric utility steam generating unit. |
| EC001 | N/A | 40 CFR Part 60, Subpart Db | Not applicable since the maximum design heat input capacity is less than 100 MMBtu/hr. |
| EC001 | N/A | 40 CFR Part 63, Subpart CC | Not located at a petroleum refinery site. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| EC001 | N/A | 40 CFR Part 63, Subpart DD | Not located at a site where waste management or waste recovery operations occur. |
| EC001 | N/A | 40 CFR Part 63, Subpart G | Not subject to 40 CFR 63.149 |
| EC001 | N/A | 40 CFR Part 63, Subpart JJJ | Not applicable since not used as a part of a thermoplastic product process unit. |
| EC001 | N/A | 40 CFR Part 63, Subpart O | Not applicable since no ethylene oxide is used. |
| EC001 | N/A | 40 CFR Part 63, Subpart U | Not utilized as part of an elastomer product process unit. |
| IC001-01 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Library. |
| IC001-02 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Library. |
| IC002-01 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Fire Station. |
| IC002-03 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at Emergency Services. |
| IC002-19 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Fire Station. |
| IC002-22 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Hospital. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|---|---|
| ID No. | Group/Inclusive Units | | |
| IC002-32 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Fire Station. |
| IC003-06 | N/A | 40 CFR Part 63, Subpart ZZZZ | Existing institutional stationary RICE since it is located at a Hospital. |
| IC005 | N/A | 30 TAC Chapter 117, Subchapter B | Not applicable since 30 TAC Chapter 117, Subchapter B does not apply to El Paso county. |
| IC005 | N/A | 30 TAC Chapter 117, Utility Electric Generation | Not applicable since 30 TAC Chapter 117, Subchapter C does not apply to El Paso county. |
| IC005 | N/A | 40 CFR Part 60, Subpart GG | Construction date predates October 3, 1977. |
| IC007 | N/A | 30 TAC Chapter 117, Subchapter B | Unit located in El Paso County. |
| IC007 | N/A | 30 TAC Chapter 117, Subchapter E, Division 1 | Unit located in El Paso County. |
| IC007 | N/A | 40 CFR Part 60, Subpart IIII | Unit is not a compression ignition engine. |
| IC008 | N/A | 30 TAC Chapter 117, Subchapter B | Unit located in El Paso County. |
| IC008 | N/A | 30 TAC Chapter 117, Subchapter E, Division 1 | Unit located in El Paso County. |
| IC008 | N/A | 40 CFR Part 60, Subpart JJJJ | Unit is not a spark ignition engine. |
| LR001 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| LR001 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| LR001 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source of HAPs. |
| LR001 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| LR001 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| LR002 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| LR002 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| LR002 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| LR002 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| LR002 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| LR003 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| LR003 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| LR003 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source of HAPs. |
| LR003 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| LR003 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source of HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|---------------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| LR004 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| LR004 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| LR004 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source of HAPs. |
| LR004 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| LR004 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source of HAPs. |
| LR004 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| LR004 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source of HAPs. |
| LR004 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| MO004 | N/A | 40 CFR Part 60, Subpart WWW | Most recent modification on the MSW landfill occurred before May 30, 1991. |
| MO004 | N/A | 40 CFR Part 63, Subpart AAAA | MSW Landfill is not a major source for HAPs and does not emit over 50 Mg/yr of NMOC. |
| MO006 | N/A | 30 TAC Chapter 115, Vent Gas Controls | Not applicable since no volatile organic compounds are emitted from this unit. |
| MO006 | N/A | 40 CFR Part 63, Subpart CC | Not applicable since it is not located at a petroleum refinery site. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| MO006 | N/A | 40 CFR Part 63, Subpart DD | Not located at a site where waste management or recovery operations occur. |
| MO006 | N/A | 40 CFR Part 63, Subpart G | Not subject to 40 CFR 63.149. |
| MO006 | N/A | 40 CFR Part 63, Subpart JJJ | Not applicable since not used as a part of a thermoplastic product process unit. |
| MO006 | N/A | 40 CFR Part 63, Subpart O | Not applicable since no ethylene oxide is utilized. |
| MO006 | N/A | 40 CFR Part 63, Subpart U | Not applicable since not used as a part of an elastomer product process unit. |
| MO008 | N/A | 30 TAC Chapter 115, HRVOC Vent Gas | Not applicable since operation is located in El Paso County. |
| MO008 | N/A | 40 CFR Part 63, Subpart CC | Not applicable since site is not a major source for HAPs. |
| MO008 | N/A | 40 CFR Part 63, Subpart DD | Not applicable since site is not a major source for HAPs. |
| MO008 | N/A | 40 CFR Part 63, Subpart G | Not applicable since site is not a major source for HAPs. |
| MO008 | N/A | 40 CFR Part 63, Subpart JJJ | Not applicable since site is not a major source for HAPs. |
| MO008 | N/A | 40 CFR Part 63, Subpart O | Not applicable since site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|---|
| ID No. | Group/Inclusive Units | | |
| MO008 | N/A | 40 CFR Part 63, Subpart U | Not applicable since site is not a major source for HAPs. |
| MO009 | N/A | 30 TAC Chapter 115, Subchapter E, Division 7 | Site is located in El Paso County. |
| MO009 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| MO009 | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| MO009 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| MO009 | N/A | 40 CFR Part 63, Subpart G | Site is not a major source for HAPs. |
| MO009 | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| MO009 | N/A | 40 CFR Part 63, Subpart O | Site is not a major source for HAPs. |
| MO010 | N/A | 30 TAC Chapter 115, HRVOC Vent Gas | Site is located in El Paso County. |
| MO010 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| MO010 | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| MO010 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| MO010 | N/A | 40 CFR Part 63, Subpart G | Site is not a major source for HAPs. |
| MO010 | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| MO010 | N/A | 40 CFR Part 63, Subpart O | Site is not a major source for HAPs. |
| SC001 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC001 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC001 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC001 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC001 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC001 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC001 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC001 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC001 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since this is not a part of wood furniture coating operations. |
| SC002 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC002 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC002 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC002 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC002 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC002 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC002 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC002 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC002 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since this is not a part of wood furniture coating operations. |
| SC003 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC003 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC003 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC003 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC003 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC003 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC003 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC003 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC003 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since this is not a part of word furniture coating operations. |
| SC004 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC004 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC004 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC004 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC004 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC004 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC004 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC004 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC004 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since this is not a part of wood furniture coating operations. |
| SC005 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC005 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC005 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC005 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC005 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC005 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC005 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC005 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC005 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since this is not a part of wood furniture coating operations. |
| SC006 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC006 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC006 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC006 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC006 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC006 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC006 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC006 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not major for HAPs. |
| SC006 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not major for HAPs. |
| SC010 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC010 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC010 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC010 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC010 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC010 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC010 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC010 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC010 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC012 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC012 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC012 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC012 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC012 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC012 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC012 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC012 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC012 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC013 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC013 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC013 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC013 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC013 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC013 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC013 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC013 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC013 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC014 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC014 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC014 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC014 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC014 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC014 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC014 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC014 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC014 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC015 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC015 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC015 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC015 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC015 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC015 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC015 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC015 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC015 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC016 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC016 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| SC016 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC016 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC016 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC016 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC016 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC016 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC016 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC017 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC017 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC017 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or labeling materials. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC017 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC017 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC017 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC017 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC017 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC017 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC018 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC018 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC018 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC018 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC018 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC018 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC018 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC018 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC018 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC019 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC019 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this not a part of a vehicle assembly plant. |
| SC019 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC019 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC019 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC019 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC019 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC019 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC019 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC020 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC020 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC020 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC020 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC020 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC020 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC020 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC020 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC020 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC021 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC021 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC021 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC021 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC021 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC021 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC021 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC021 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC021 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC022 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC022 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC022 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC022 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC022 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating operations. |
| SC022 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC022 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating process. |
| SC022 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC022 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |
| SC023 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC023 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not a part of a vehicle assembly plant. |
| SC023 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape or label materials. |
| SC023 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC023 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not a part of metal coil surface coating process operations. |
| SC023 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC023 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC023 | N/A | 40 CFR Part 63, Subpart GG | Not applicable since site is not a major source for HAPs. |
| SC023 | N/A | 40 CFR Part 63, Subpart JJ | Not applicable since site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|--|
| ID No. | Group/Inclusive Units | | |
| SC024 | N/A | 30 TAC Chapter 115, Subchapter E, Division 5 | Site is located in El Paso County. |
| SC024 | N/A | 30 TAC Chapter 115, Subchapter E, Division 7 | Site is located in El Paso County. |
| SC024 | N/A | 40 CFR Part 60, Subpart EE | Not applicable since this is not a part of a metal furniture coating operation. |
| SC024 | N/A | 40 CFR Part 60, Subpart MM | Not applicable since this is not part of a vehicle assembly plant. |
| SC024 | N/A | 40 CFR Part 60, Subpart RR | Not applicable since not used in the manufacturing process of pressure sensitive tape and label materials. |
| SC024 | N/A | 40 CFR Part 60, Subpart SS | Not applicable since this is not a part of a large appliance surface coating process. |
| SC024 | N/A | 40 CFR Part 60, Subpart TT | Not applicable since this is not part of metal surface coating operations. |
| SC024 | N/A | 40 CFR Part 60, Subpart TTT | Not applicable since this is not a part of plastic parts coating for business machines. |
| SC024 | N/A | 40 CFR Part 60, Subpart WW | Not applicable since this is not a part of a beverage can surface coating operation. |
| SC024 | N/A | 40 CFR Part 63, Subpart GG | Site is not a major source for HAPs. |
| SC024 | N/A | 40 CFR Part 63, Subpart JJ | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| SC024 | N/A | 40 CFR Part 63, Subpart PPPP | Site is not a major source for HAPs. |
| ST005A | N/A | 40 CFR Part 60, Subpart K | Not applicable since the construction date was before June 11, 1973. |
| ST005A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST005A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST005A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST005A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST005A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST005A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST005A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST005A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST005B | N/A | 40 CFR Part 60, Subpart K | Not applicable since the capacity is less than 40,000 gallons. |
| ST005B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST005B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST005B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST005B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST005B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST005B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST005B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST005B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST005C | N/A | 40 CFR Part 60, Subpart K | Not applicable since the capacity is less than 40,000 gallons. |
| ST005C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST005C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST005C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST005C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST005C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST005C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST005C | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST005C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST006 | N/A | 40 CFR Part 60, Subpart K | Not applicable since the storage tank capacity is less than 40,000 gallons. |
| ST006 | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST006 | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST006 | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST006 | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST006 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST006 | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST006 | N/A | 40 CFR Part 63, Subpart G | Not Subject to subpart F. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|---|
| ID No. | Group/Inclusive Units | | |
| ST006 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST008 | N/A | 30 TAC Chapter 115, Loading and Unloading of VOC | Not applicable since it is a motor vehicle fuel dispensing facility. |
| ST008 | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 25,000 gallons and is located at a motor vehicle fuel dispensing facility. |
| ST008 | N/A | 40 CFR Part 60, Subpart K | Not applicable since storage tank has a capacity less than 40,000 gallons. |
| ST008 | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST008 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST008 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST008 | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST008 | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST008 | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|---|
| ID No. | Group/Inclusive Units | | |
| ST008 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST008 | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST008 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST008 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST009 | N/A | 30 TAC Chapter 115, Loading and Unloading of VOC | Not applicable since it is a minor vehicle fuel dispensing facility. |
| ST009 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST009 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST009 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST009 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST009 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST009A | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 25,000 gallons and is located at a motor vehicle fuel dispensing facility. |
| ST009A | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank is attached to a gasoline service station. |
| ST009A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST009A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST009A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST009A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST009A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST009A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST009A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST009A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST009B | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 25,000 gallons and is located at a motor vehicle fuel dispensing facility. |
| ST009B | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank is attached to a gasoline service station. |
| ST009B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST009B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST009B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST009B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST009B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST009B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST009B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST009B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST009C | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 25,000 gallons and is located at a motor vehicle fuel dispensing facility. |
| ST009C | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank is attached to a gasoline service station. |
| ST009C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST009C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST009C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|---|
| ID No. | Group/Inclusive Units | | |
| ST009C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST009C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST009C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST009C | N/A | 40 CFR Part 63, Subpart G | Not subject to subpart F. |
| ST009C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST010 | N/A | 30 TAC Chapter 115, Loading and Unloading of VOC | Not applicable since it is a motor vehicle fuel dispensing facility. |
| ST010 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST010 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST010 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST010 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST010 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST010A | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 1,000 gallons. |
| ST010A | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST010A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST010A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST010A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST010A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST010A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST010A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST010A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST010A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST010B | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since the storage tank has a capacity less than 1,000 gallons. |
| ST010B | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST010B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST010B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST010B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST010B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST010B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST010B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST010B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST010B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST010C | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST010C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST010C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST010C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|--|
| ID No. | Group/Inclusive Units | | |
| ST010C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST010C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST010C | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST010C | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST010C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST010C | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST011 | N/A | 30 TAC Chapter 115, Loading and Unloading of VOC | Not applicable since it is a motor vehicle fuel dispensing facility. |
| ST011 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST011 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST011 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST011 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011A | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011B | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011C | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011C | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011D | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011D | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011D | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011D | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011D | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011D | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011D | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011D | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011D | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011E | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011E | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011E | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011E | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011E | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011E | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011E | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011E | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011E | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011F | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011F | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011F | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011F | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011F | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011F | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011F | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011F | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011F | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011G | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST011G | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011G | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011G | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST011G | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011G | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011G | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011G | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011G | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011H | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST011H | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST011H | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011H | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011H | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011H | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011H | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011H | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST011H | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST011H | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011H | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST011H | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST011H | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST011H | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011H | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST011I | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST011I | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST011I | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011I | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST011I | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011I | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011I | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST011I | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST011I | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011I | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST011J | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST011J | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST011J | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST011J | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST011J | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST011J | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST011J | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST011J | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST011J | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST011J | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012A | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since the storage tank has a capacity between 75 cubic meters (19,800 gal) and 151 cubic meters (39,900 gal) and stores liquid with a vapor pressure less than 1.5 psia. |
| ST012A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012B | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST012B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012C | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since storage tank has a capacity less than 1,000 gallons. |
| ST012C | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST012C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012C | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012D | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since storage tank has a capacity less than 1,000 gallons. |
| ST012D | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST012D | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012D | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012D | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012D | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012D | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012D | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012D | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012D | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012E | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST012E | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012E | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012E | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012E | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012E | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012E | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012E | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012E | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012F | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since storage tank has a capacity less than 75 cubic meters. |
| ST012F | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012F | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012F | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012F | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012F | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012F | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012F | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012F | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012G | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since storage tank has a capacity less than 1,000 gallons. |
| ST012G | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since the storage tank has a capacity less than 75 cubic meters. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-------------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012G | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012G | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012G | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012G | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012G | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012G | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012G | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012G | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012H | N/A | 30 TAC Chapter 115, Storage of VOCs | Not applicable since storage tank has a capacity less than 1,000 gallons. |
| ST012H | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since storage tank has a capacity less than 40,000 gallons. |
| ST012H | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012H | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012H | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012H | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012H | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012H | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012H | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012H | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012I | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012I | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012I | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012I | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012I | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012I | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012I | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012I | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012I | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012I | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012J | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012J | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012J | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012J | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012J | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012J | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012J | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012J | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012J | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012J | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012K | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012K | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012K | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012K | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012K | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012K | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012K | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012K | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012K | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012K | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012K | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012K | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012K | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012K | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012K | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST012L | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012L | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012L | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012L | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012L | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012L | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012L | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012L | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012L | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012L | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012L | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012L | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012L | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012L | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012L | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012M | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012M | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012M | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012M | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012M | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012M | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012M | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012M | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012M | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012M | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST012N | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012N | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012N | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012N | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012N | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012N | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012N | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012N | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST012N | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012N | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST012O | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST012O | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST012O | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST012O | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST012O | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST012O | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST012O | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST012O | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST012O | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST012O | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST013A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since storage tank has a capacity less than 40,000 gallons. |
| ST013A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST013A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST013A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST013A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST013A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST013A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST013A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST013A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST013B | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since storage tank has a capacity less than 40,000 gallons. |
| ST013B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST013B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST013B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST013B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST013B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST013B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST013B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST013B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST013C | N/A | 40 CFR Part 60, Subpart Kb | Not applicable since the storage tank has a capacity less than 75 cubic meters. |
| ST013C | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST013C | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST013C | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST013C | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST013C | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST013C | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST013C | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST013C | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST021 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST021 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST021 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source of HAPs. |
| ST021 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST021 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source of HAPs. |
| ST021 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST021 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source of HAPs. |
| ST021 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST021A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST021A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST021A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST021A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST021A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST021A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST021A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST021A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST021A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST021A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST021A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST021A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST021A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST021A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST021A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST022 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST022 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST022 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source of HAPs. |
| ST022 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST022 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source of HAPs. |
| ST022 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST022 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source of HAPs. |
| ST022 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST022A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST022A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST022A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST022A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST022A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST022A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST022A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST022A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST022A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST022A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST022A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST022A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST022A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST022A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST022A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST026 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST026 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST026 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST026 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST026 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST026 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST026 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST026 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST026A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST026A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST026A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST026A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST026A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST026A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST026A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST026A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST026A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST026A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST026A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST026A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST026A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST026A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST026A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST026B | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST026B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST026B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST026B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST026B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST026B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST026B | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST026B | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST026B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST026B | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST027 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST027 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST027 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST027 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST027 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST027 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST027 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST027 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST027A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST027A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST027A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST027A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST027A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST027A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST027A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST027A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST027A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST027A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST027A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST027A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST027A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST027A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST027A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST027B | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST027B | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST027B | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST027B | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST027B | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST027B | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST027B | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST027B | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST027B | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST027B | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST028 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST028 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST028 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST028 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST028 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST028 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST028 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST028A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST028A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST028A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST028A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST028A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST028A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST028A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST028A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST028A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST028A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST028A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST028A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST028A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST028A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST028A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST029 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST029 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST029 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST029 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST029 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST029 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|---|
| ID No. | Group/Inclusive Units | | |
| ST029 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST029 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST029A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |
| ST029A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST029A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST029A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST029A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST029A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST029A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST029A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST029A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST029A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST029A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST029A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST029A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |
| ST029A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST029A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| ST030 | N/A | 40 CFR Part 60, Subpart XX | Not applicable since it is not a bulk gasoline terminal loading rack. |
| ST030 | N/A | 40 CFR Part 61, Subpart BB | Not applicable since no benzene loading occurs at the site. |
| ST030 | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST030 | N/A | 40 CFR Part 63, Subpart CCCCCC | Unit is not a gasoline dispensing facility. |
| ST030 | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST030 | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F or 63.149. |
| ST030 | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST030 | N/A | 40 CFR Part 63, Subpart Y | Not applicable since this is not a marine tank vessel loading operation. |
| ST030A | N/A | 40 CFR Part 60, Subpart K | Not applicable since tank constructed after 7/23/1984. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST030A | N/A | 40 CFR Part 60, Subpart Ka | Not applicable since tank constructed after 7/23/1984. |
| ST030A | N/A | 40 CFR Part 60, Subpart QQQ | Not applicable since the tank is not located at a petroleum refinery. |
| ST030A | N/A | 40 CFR Part 61, Subpart FF | Not applicable since the tank does not store benzene at a waste recovery operation. |
| ST030A | N/A | 40 CFR Part 61, Subpart L | Not applicable since the tank does not store benzene at a coke-by-product recovery plant. |
| ST030A | N/A | 40 CFR Part 61, Subpart Y | Not applicable since the tank does not store benzene. |
| ST030A | N/A | 40 CFR Part 63, Subpart CC | Site is not a major source for HAPs. |
| ST030A | N/A | 40 CFR Part 63, Subpart DD | Site is not a major source for HAPs. |
| ST030A | N/A | 40 CFR Part 63, Subpart FFFF | Site is not a major source for HAPs. |
| ST030A | N/A | 40 CFR Part 63, Subpart G | Not subject to Subpart F. |
| ST030A | N/A | 40 CFR Part 63, Subpart HH | Storage vessel is not located at an oil and natural gas production facility. |
| ST030A | N/A | 40 CFR Part 63, Subpart JJJ | Site is not a major source for HAPs. |
| ST030A | N/A | 40 CFR Part 63, Subpart OO | Tank is not subject to a 40 CFR Part 60, 61, or 63 Subpart that references 40 CFR Part 63, Subpart OO. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|-----------------------------|--|
| ID No. | Group/Inclusive Units | | |
| ST030A | N/A | 40 CFR Part 63, Subpart R | Site is not a major source for HAPs. |
| ST030A | N/A | 40 CFR Part 63, Subpart U | Site is not a major source for HAPs. |
| SU001 | N/A | 40 CFR Part 63, Subpart T | Not applicable since the units do not use halogenated solvents greater than 5% by weight. |
| SU002 | N/A | 40 CFR Part 63, Subpart T | Not applicable since the units do not use halogenated solvents greater than 5% by weight. |
| SU003 | N/A | 40 CFR Part 60, Subpart NNN | Facility is not part of a process that produces chemicals listed in §60.667 as a product, co-product, by-product, or intermediate. |
| SU004 | N/A | 40 CFR Part 63, Subpart GG | Not a major source of HAPs. |
| SU005 | N/A | 40 CFR Part 63, Subpart T | Not applicable since the units do not use halogenated solvents greater than 5% by weight. |
| SU006 | N/A | 40 CFR Part 60, Subpart NNN | Unit is not associated with synthetic organic chemical manufacturing. |

New Source Review Authorization References

| | |
|--|------------|
| New Source Review Authorization References..... | 291 |
| New Source Review Authorization References by Emission Unit | 293 |

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area. | |
|---|------------------------------|
| Authorization No.: 101763 | Issuance Date: 04/25/2013 |
| Authorization No.: 105636 | Issuance Date: 01/17/2014 |
| Authorization No.: 93959 | Issuance Date: 04/22/2015 |
| Permits By Rule (30 TAC Chapter 106) for the Application Area | |
| Number: 106.102 | Version No./Date: 09/04/2000 |
| Number: 106.183 | Version No./Date: 09/04/2000 |
| Number: 106.227 | Version No./Date: 09/04/2000 |
| Number: 106.261 | Version No./Date: 03/14/1997 |
| Number: 106.261 | Version No./Date: 11/01/2003 |
| Number: 106.262 | Version No./Date: 03/14/1997 |
| Number: 106.262 | Version No./Date: 11/01/2003 |
| Number: 106.263 | Version No./Date: 11/01/2001 |
| Number: 106.265 | Version No./Date: 03/14/1997 |
| Number: 106.265 | Version No./Date: 09/04/2000 |
| Number: 106.412 | Version No./Date: 03/14/1997 |
| Number: 106.412 | Version No./Date: 09/04/2000 |
| Number: 106.433 | Version No./Date: 03/14/1997 |
| Number: 106.433 | Version No./Date: 09/04/2000 |
| Number: 106.452 | Version No./Date: 03/14/1997 |
| Number: 106.452 | Version No./Date: 09/04/2000 |
| Number: 106.454 | Version No./Date: 03/14/1997 |
| Number: 106.454 | Version No./Date: 11/01/2001 |
| Number: 106.472 | Version No./Date: 03/14/1997 |
| Number: 106.472 | Version No./Date: 09/04/2000 |
| Number: 106.473 | Version No./Date: 03/14/1997 |
| Number: 106.473 | Version No./Date: 09/04/2000 |
| Number: 106.478 | Version No./Date: 03/14/1997 |
| Number: 106.478 | Version No./Date: 09/04/2000 |

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| | |
|--|------------------------------|
| Number: 106.511 | Version No./Date: 03/14/1997 |
| Number: 106.511 | Version No./Date: 09/04/2000 |
| Number: 106.512 | Version No./Date: 03/14/1997 |
| Number: 106.533 | Version No./Date: 07/04/2004 |
| Number: 106.534 | Version No./Date: 03/14/1997 |
| Number: 106.534 | Version No./Date: 09/04/2000 |
| Number: 7 | Version No./Date: 06/07/1996 |
| Municipal Solid Waste and Industrial Hazardous Waste Permits With an Air Addendum | |
| Permit No.: 1422 | |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|---------------------------------------|---------------------------------|
| AB001 | Raytheon Unconfined Abrasive Blasting | 106.452/03/14/1997 |
| AB002 | LCOE Abrasive Blasting Room | 106.452/03/14/1997 |
| AB003 | DOSS Portable Abrasive Blasting Unit | 106.452/03/14/1997 |
| AB004 | Raytheon Confined Blasting Bldg 11004 | 106.452/09/04/2000 |
| AB005 | Raytheon Confined Blasting Bldg 11005 | 106.452/09/04/2000 |
| EC001 | WBAMC Hospital Boilers | 7/06/07/1996 |
| IC001-01 | NG EM RICE IC001 Bldg 2A | 106.511/09/04/2000 |
| IC001-02 | NG EM RICE IC001 Bldg 2B | 106.511/09/04/2000 |
| IC001-03 | NG EM RICE IC001 Bldg 56B | 106.511/09/04/2000 |
| IC001-04 | NG EM RICE IC001 Bldg 492 | 106.511/09/04/2000 |
| IC001-05 | NG EM RICE IC001 Bldg 2455 | 106.511/09/04/2000 |
| IC001-06 | NG EM RICE IC001 Bldg 3719 | 106.511/09/04/2000 |
| IC001-07 | NG EM RICE IC001 Bldg 5806 | 106.511/09/04/2000 |
| IC001-08 | NG EM RICE IC001 Bldg 6905 | 106.511/09/04/2000 |
| IC001-09 | NG EM RICE IC001 Bldg 6942 | 106.511/09/04/2000 |
| IC001-10 | NG EM RICE IC001 Bldg 6950 | 106.511/09/04/2000 |
| IC001-11 | NG EM RICE IC001 Bldg 20699 | 106.511/09/04/2000 |
| IC001-12 | NG EM RICE IC001 Bldg 20925 | 106.511/09/04/2000 |
| IC001-13 | NG EM RICE IC001 Bldg 20930 | 106.511/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|--------------------------------|---------------------------------|
| IC001-14 | NG EM RICE IC001 Bldg 21104 | 106.511/09/04/2000 |
| IC001-15 | NG EM RICE IC001 Bldg 11270-01 | 106.511/09/04/2000 |
| IC001-16 | NG EM RICE IC001 Bldg 11270-02 | 106.511/09/04/2000 |
| IC001-17 | NG EM RICE IC001 Bldg 6905 | 106.511/09/04/2000 |
| IC002-01 | DIES EM RICE IC002 Bldg 54 | 106.511/09/04/2000 |
| IC002-02 | DIES EM RICE IC002 Bldg 123 | 106.511/09/04/2000 |
| IC002-03 | DIES EM RICE IC002 Bldg 125 | 106.511/09/04/2000 |
| IC002-04 | DIES EM RICE IC002 Bldg 299 | 106.511/09/04/2000 |
| IC002-05 | DIES EM RICE IC002 Bldg 801-01 | 106.511/09/04/2000 |
| IC002-06 | DIES EM RICE IC002 Bldg 801-02 | 106.511/09/04/2000 |
| IC002-07 | DIES EM RICE IC002 Bldg 1620 | 106.511/09/04/2000 |
| IC002-08 | DIES EM RICE IC002 Bldg 1871 | 106.511/09/04/2000 |
| IC002-09 | DIES EM RICE IC002 Bldg 2071 | 106.511/09/04/2000 |
| IC002-10 | DIES EM RICE IC002 Bldg 2424 | 106.511/09/04/2000 |
| IC002-11 | DIES EM RICE IC002 Bldg 2636 | 106.511/09/04/2000 |
| IC002-12 | DIES EM RICE IC002 Bldg 2695 | 106.511/09/04/2000 |
| IC002-13 | DIES EM RICE IC002 Bldg 2928 | 106.511/09/04/2000 |
| IC002-14 | DIES EM RICE IC002 Bldg 3683 | 106.511/09/04/2000 |
| IC002-15 | DIES EM RICE IC002 Bldg 5380 | 106.511/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|----------------------------------|---------------------------------|
| IC002-16 | DIES EM RICE IC002 Bldg 5408 | 106.511/09/04/2000 |
| IC002-17 | DIES EM RICE IC002 Bldg 5746 | 106.511/09/04/2000 |
| IC002-18 | DIES EM RICE IC002 Bldg 7167 | 106.511/09/04/2000 |
| IC002-19 | DIES EM RICE IC002 Bldg 7311 | 106.511/09/04/2000 |
| IC002-20 | DIES EM RICE IC002 Bldg 7403 | 106.511/09/04/2000 |
| IC002-21 | DIES EM RICE IC002 Bldg 7774 | 106.511/09/04/2000 |
| IC002-22 | DIES EM RICE IC002 Bldg 7777 | 106.511/09/04/2000 |
| IC002-23 | DIES EM RICE IC002 Bldg 7790 | 106.511/09/04/2000 |
| IC002-24 | DIES EM RICE IC002 Bldg 11055-02 | 106.511/09/04/2000 |
| IC002-25 | DIES EM RICE IC002 Bldg 11111 | 106.511/09/04/2000 |
| IC002-26 | DIES EM RICE IC002 Bldg 11115 | 106.511/09/04/2000 |
| IC002-27 | DIES EM RICE IC002 Bldg 11203 | 106.511/09/04/2000 |
| IC002-28 | DIES EM RICE IC002 Bldg 11205 | 106.511/09/04/2000 |
| IC002-29 | DIES EM RICE IC002 Bldg 11207 | 106.511/09/04/2000 |
| IC002-30 | DIES EM RICE IC002 Bldg 11212-01 | 106.511/09/04/2000 |
| IC002-31 | DIES EM RICE IC002 Bldg 11212-02 | 106.511/09/04/2000 |
| IC002-32 | DIES EM RICE IC002 Bldg 11213 | 106.511/09/04/2000 |
| IC002-33 | DIES EM RICE IC002 Bldg 11250 | 106.511/09/04/2000 |
| IC002-34 | DIES EM RICE IC002 Bldg 11269 | 106.511/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|----------------------------------|---------------------------------|
| IC002-35 | DIES EM RICE IC002 Bldg 11308 | 106.511/09/04/2000 |
| IC002-36 | DIES EM RICE IC002 Bldg 11319 | 106.511/09/04/2000 |
| IC002-37 | DIES EM RICE IC002 Bldg 11556 | 106.511/09/04/2000 |
| IC002-38 | DIES EM RICE IC002 Bldg 11603 | 106.511/09/04/2000 |
| IC002-39 | DIES EM RICE IC002 Bldg 13400 | 106.511/09/04/2000 |
| IC002-40 | DIES EM RICE IC002 Bldg 13480 | 106.511/09/04/2000 |
| IC002-41 | DIES EM RICE IC002 Bldg 13481-01 | 106.511/09/04/2000 |
| IC002-42 | DIES EM RICE IC002 Bldg 13481-02 | 106.511/09/04/2000 |
| IC002-43 | DIES EM RICE IC002 Bldg 13481-03 | 106.511/09/04/2000 |
| IC002-44 | DIES EM RICE IC002 Bldg 20100-01 | 106.511/09/04/2000 |
| IC002-45 | DIES EM RICE IC002 Bldg 20100-02 | 106.511/09/04/2000 |
| IC002-46 | DIES EM RICE IC002 Bldg 20184-01 | 106.511/09/04/2000 |
| IC002-47 | DIES EM RICE IC002 Bldg 20184-02 | 106.511/09/04/2000 |
| IC002-48 | DIES EM RICE IC002 Bldg 20184-03 | 106.511/09/04/2000 |
| IC002-49 | DIES EM RICE IC002 Bldg 20184-04 | 106.511/09/04/2000 |
| IC002-50 | DIES EM RICE IC002 Bldg 20184-05 | 106.511/09/04/2000 |
| IC002-51 | DIES EM RICE IC002 Bldg 20184-06 | 106.511/09/04/2000 |
| IC002-52 | DIES EM RICE IC002 Bldg 20188 | 106.511/09/04/2000 |
| IC002-53 | DIES EM RICE IC002 Bldg 20226 | 106.511/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|----------------------------------|---------------------------------|
| IC002-54 | DIES EM RICE IC002 Bldg 20400-01 | 106.511/09/04/2000 |
| IC002-55 | DIES EM RICE IC002 Bldg 20400-02 | 106.511/09/04/2000 |
| IC002-56 | DIES EM RICE IC002 Bldg 20500-01 | 106.511/09/04/2000 |
| IC002-57 | DIES EM RICE IC002 Bldg 20500-02 | 106.511/09/04/2000 |
| IC002-58 | DIES EM RICE IC002 Bldg 20588 | 106.511/09/04/2000 |
| IC002-59 | DIES EM RICE IC002 Bldg 21000 | 106.511/09/04/2000 |
| IC002-60 | DIES EM RICE IC002 Bldg 21100-01 | 106.511/09/04/2000 |
| IC002-61 | DIES EM RICE IC002 Bldg 21100-02 | 106.511/09/04/2000 |
| IC002-62 | DIES EM RICE IC002 Bldg 21200-01 | 106.511/09/04/2000 |
| IC002-63 | DIES EM RICE IC002 Bldg 21200-02 | 106.511/09/04/2000 |
| IC002-64 | DIES EM RICE IC002 Bldg 11107 | 106.511/09/04/2000 |
| IC002-65 | DIES EM RICE IC002 Bldg 7150 | 106.511/09/04/2000 |
| IC003-01 | DIES EM RICE IC003 Bldg 56 | 106.511/09/04/2000 |
| IC003-02 | DIES EM RICE IC003 Bldg 6999 | 106.511/09/04/2000 |
| IC003-03 | DIES EM RICE IC003 Bldg 7777-01 | 106.511/09/04/2000 |
| IC003-04 | DIES EM RICE IC003 Bldg 7777-02 | 106.511/09/04/2000 |
| IC003-05 | DIES EM RICE IC003 Bldg 7777-03 | 106.511/09/04/2000 |
| IC003-06 | DIES EM RICE IC003 Bldg 7777-04 | 106.511/09/04/2000 |
| IC003-07 | DIES EM RICE IC003 Bldg 7781-01 | 106.511/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|--|---------------------------------|
| IC003-08 | DIES EM RICE IC003 Bldg 7781-02 | 106.511/09/04/2000 |
| IC003-09 | DIES EM RICE IC003 Bldg 11055-01 | 106.511/09/04/2000 |
| IC003-10 | DIES EM RICE IC003 Bldg 11055-03 | 106.511/09/04/2000 |
| IC003-11 | DIES EM RICE IC003 Bldg 11205 | 106.511/09/04/2000 |
| IC003-12 | DIES EM RICE IC003 Bldg 11685-01 | 106.511/09/04/2000 |
| IC003-13 | DIES EM RICE IC003 Bldg 11685-02 | 106.511/09/04/2000 |
| IC003-14 | DIES EM RICE IC003 Bldg 11685-03 | 106.511/09/04/2000 |
| IC003-15 | DIES EM RICE IC003 Bldg 18537 | 106.511/09/04/2000 |
| IC003-16 | DIES EM RICE IC003 Bldg 20709 | 106.511/09/04/2000 |
| IC003-17 | DIES EM RICE IC003 Bldg 11339-01 | 106.511/09/04/2000 |
| IC003-18 | DIES EM RICE IC003 Bldg 11339-02 | 106.511/09/04/2000 |
| IC004 | Engine Test Cells | 106.512/03/14/1997 |
| IC005 | Natural Gas Turbine | 106.512/03/14/1997 |
| IC007 | Total Energy Plant Peak Shaving Generators | 105636 |
| IC008 | Enlisted Dining Peak Shaving Generator | 101763 |
| LR001 | Biggs Field JP-8 Loading Rack | 106.472/03/14/1997 |
| LR002 | Bulk Fuel Farm JP-8 Loading Rack | 106.472/03/14/1997 |
| LR003 | Bulk Fuel Farm Gasoline Loading Rack | 106.473/03/14/1997 |
| LR004 | Cab Fuel Farm JP-8 Loading Rack | 106.472/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|--|---------------------------------|
| MO004 | Municipal Solid Waste Landfill | 106.534/03/14/1997 |
| MO006 | Woodworking Operations | 106.265/03/14/1997 |
| MO007 | Carpentry Shop Woodworking Operations | 106.265/09/04/2000 |
| MO008 | Aerosol Can Puncture Operations | 106.262/03/14/1997 |
| MO009 | Bio Cell Operation | 106.533/07/04/2004 |
| MO010 | Can Crush and Puncture - Bldg 11613 | 106.262/11/01/2003 |
| SC001 | DOSS Paint Spray Booth | 93959 |
| SC002 | Raytheon Paint Spray Booth - Inside | 106.433/03/14/1997 |
| SC003 | Raytheon Paint Spray Booth - Outside | 93959 |
| SC004 | LCOE Paint Spray Booth - Large | 93959 |
| SC005 | LCOE Paint Spray Booth - Small | 93959 |
| SC006 | Site Wide Aerosol Painting | 93959 |
| SC008 | DOL Open Painting Facility | 93959 |
| SC009 | DOSS Paint Spray Booth II | 106.433/03/14/1997 |
| SC010 | Raytheon Paint Spray Booth Bldg 11004 | 106.433/03/14/1997 |
| SC012 | Bench-Top Open-Faced Paint Spray Booth - 11203L | 106.433/03/14/1997 |
| SC013 | Bench-Top Open-Faced Paint Spray Booth - 11203R | 106.433/03/14/1997 |
| SC014 | Bench-Top Open-Faced Paint Spray Booth - 11212WL | 106.433/03/14/1997 |
| SC015 | Bench-Top Open-Faced Paint Spray Booth - 11212WR | 106.433/03/14/1997 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|---|---------------------------------|
| SC016 | Bench-Top Open-Faced Paint Spray Booth - 11212EL | 106.433/03/14/1997 |
| SC017 | Bench-Top Open-Faced Paint Spray Booth - 11212ER | 106.433/03/14/1997 |
| SC018 | Bench-Top Open-Faced Paint Spray Booth - 11308L | 106.433/03/14/1997 |
| SC019 | Bench-Top Open-Faced Paint Spray Booth - 11308R | 106.433/03/14/1997 |
| SC020 | Bench-Top Open-Faced Paint Spray Booth - 13400L | 106.433/03/14/1997 |
| SC021 | Bench-Top Open-Faced Paint Spray Booth - 13400M | 106.433/03/14/1997 |
| SC022 | Bench-Top Open-Faced Paint Spray Booth - 13400R | 106.433/03/14/1997 |
| SC023 | Open-Faced Paint Spray Booth - CAB - 13400 | 106.433/03/14/1997 |
| SC024 | Open Blade Painting - CAB - Bldg 13400 | 106.433/09/04/2000 |
| ST005A | Bulk Fuel Farm JP-8 Storage Tank A | 106.478/03/14/1997 |
| ST005B | Bulk Fuel Farm JP-8 Storage Tank B | 106.478/03/14/1997 |
| ST005C | Bulk Fuel Farm JP-8 Storage Tank C | 106.478/03/14/1997 |
| ST006 | Bulk Fuel Farm Gasoline Storage Tank | 106.478/03/14/1997 |
| ST008 | Transportation Motor Pool JP-8 Fueling | 106.412/03/14/1997 |
| ST008 | Transportation Motor Pool JP-8 Storage Tank | 106.478/03/14/1997 |
| ST009A | Transportation Motor Pool Gasoline Storage Tank A | 106.478/03/14/1997 |
| ST009B | Transportation Motor Pool Gasoline Storage Tank B | 106.478/03/14/1997 |
| ST009C | Transportation Motor Pool Gasoline Storage Tank C | 106.478/03/14/1997 |
| ST009 | Transportation Motor Pool Gasoline Fueling | 106.412/03/14/1997 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|--|---------------------------------|
| ST010A | Site Wide Gasoline Tank A - Bldg 3006 | 106.478/03/14/1997 |
| ST010B | Site Wide Gasoline Tank B - Bldg 2656 | 106.478/03/14/1997 |
| ST010C | Site Wide Gasoline Storage Tank C - Bldg 11055 | 106.473/09/04/2000 |
| ST010 | Site Wide Gasoline Fueling | 106.412/03/14/1997 |
| ST011A | Site Wide JP-8 Storage Tank A - Bldg 2464 | 106.478/03/14/1997 |
| ST011B | Site Wide JP-8 Storage Tank B - Bldg 2464 | 106.478/03/14/1997 |
| ST011C | Site Wide JP-8 Storage Tank C - Bldg 11183 | 106.478/03/14/1997 |
| ST011D | Site Wide JP-8 Storage Tank D - Bldg 2592 | 106.478/03/14/1997 |
| ST011E | Site Wide JP-8 Storage Tank E - Bldg 11005 | 106.478/03/14/1997 |
| ST011F | Site Wide JP-8 Storage Tank F - Bldg 2656 | 106.478/03/14/1997 |
| ST011G | Site Wide JP-8 Storage Tank G - Bldg 2491 | 106.478/03/14/1997 |
| ST011H | Site Wide JP-8 Storage Tank H - Bldg 2491 | 106.472/09/04/2000 |
| ST011I | Site Wide JP-8 Storage Tank I - Bldg 2491 | 106.472/09/04/2000 |
| ST011J | Site Wide JP-8 Storage Tank J - Bldg 2491 | 106.472/09/04/2000 |
| ST011 | Site Wide JP-8 Fueling | 106.412/03/14/1997 |
| ST012A | Site Wide Diesel Storage Tank A - Bldg 7777 | 106.478/03/14/1997 |
| ST012B | Site Wide Diesel Storage Tank B - Bldg 7777 | 106.478/03/14/1997 |
| ST012C | Site Wide Diesel Storage Tank C - Bldg 11304 | 106.478/03/14/1997 |
| ST012D | Site Wide Diesel Storage Tank D - Bldg 11107 | 106.478/03/14/1997 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|--|---------------------------------|
| ST012E | Site Wide Diesel Storage Tank E - Bldg 11205 | 106.478/03/14/1997 |
| ST012F | Site Wide Diesel Storage Tank F - Bldg 2592 | 106.478/03/14/1997 |
| ST012G | Site Wide Diesel Storage Tank G - Bldg 11603 | 106.478/03/14/1997 |
| ST012H | Site Wide Diesel Storage Tank H - Bldg 2527 | 106.478/03/14/1997 |
| ST012I | Site Wide Diesel Storage Tank I - Bldg 11182 | 106.472/09/04/2000 |
| ST012J | Site Wide Diesel Storage Tank J - Bldg 11182 | 106.472/09/04/2000 |
| ST012K | Site Wide Diesel Storage Tank K - Bldg 2667 | 106.472/09/04/2000 |
| ST012L | Site Wide Diesel Storage Tank L - Bldg 2656 | 106.472/09/04/2000 |
| ST012M | Site Wide Diesel Storage Tank M - Bldg 11685 | 106.472/09/04/2000 |
| ST012N | Site Wide Diesel Storage Tank N - Bldg 3006 | 106.472/09/04/2000 |
| ST012O | Site Wide Diesel Storage Tank O - Bldg 11055 | 106.472/09/04/2000 |
| ST013A | Heating Oil Tank A - Bldg 7776 | 106.478/03/14/1997 |
| ST013B | Heating Oil Tank B - Bldg 7776 | 106.478/03/14/1997 |
| ST013C | Heating Oil Tank C - Bldg 7776 | 106.478/03/14/1997 |
| ST021A | DOL Diesel Storage Tank A - Bldg 2642 | 106.472/09/04/2000 |
| ST021 | DOL Diesel Fueling Station | 106.412/09/04/2000 |
| ST022A | DOL JP-8 Storage Tank A - Bldg 2642 | 106.472/09/04/2000 |
| ST022 | DOL JP-8 Fueling Station | 106.412/09/04/2000 |
| ST026A | Hot Refuel JP-8 Storage Tank A - Bldg 13334 | 106.472/09/04/2000 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|---------------------------|---|--|
| ST026B | Hot Refuel JP-8 Storage Tank B - Bldg 13334 | 106.472/09/04/2000 |
| ST026 | JP-8 Hot Refueling Station | 106.412/09/04/2000 |
| ST027A | CAB Fuel Farm JP-8 Storage Tank A - Bldg 11114 | 106.472/09/04/2000 |
| ST027B | CAB Fuel Farm JP-8 Storage Tank B - Bldg 11114 | 106.472/09/04/2000 |
| ST027 | CAB Fuel Farm JP-8 Fueling | 106.412/09/04/2000 |
| ST028A | FB Fire Dept Gasoline Storage Tank A - Bldg 2656 | 106.473/09/04/2000 |
| ST028 | Fort Bliss Fire Dept. Gasoline Fueling Station | 106.412/09/04/2000 |
| ST029A | FB Fire Dept Diesel Storage Tank A - Bldg 2656 | 106.472/09/04/2000 |
| ST029 | Fort Bliss Fire Department Diesel Fueling Station | 106.412/09/04/2000 |
| ST030A | FB Fire Dept JP-8 Storage Tank A - Bldg 2656 | 106.472/09/04/2000 |
| ST030 | Fort Bliss Fire Department JP-8 Fueling Station | 106.412/09/04/2000 |
| SU001 | Inland Technology Parts Washers | 93959 |
| SU002 | Safety Kleen Parts Washers | 106.454/03/14/1997 |
| SU003 | Solvent Distiller | 106.261/11/01/2003 |
| SU004 | Site Wide Solvent Use Operations | 106.454/03/14/1997 |
| SU005 | Clarus Degreasers at CAB Bldg 13400 | 106.454/11/01/2001 |
| SU006 | Ethanol Distiller at WBAMC Hospital | 106.261/11/01/2003, 106.262/11/01/2003 |

Appendix A

| | |
|---------------------------|------------|
| Acronym List | 305 |
|---------------------------|------------|

Acronym List

The following abbreviations or acronyms may be used in this permit:

| | |
|------------------------|---|
| ACFM | actual cubic feet per minute |
| AMOC | alternate means of control |
| ARP | Acid Rain Program |
| ASTM | American Society of Testing and Materials |
| B/PA | Beaumont/Port Arthur (nonattainment area) |
| CAM | Compliance Assurance Monitoring |
| CD | control device |
| COMS | continuous opacity monitoring system |
| CVS | closed-vent system |
| D/FW | Dallas/Fort Worth (nonattainment area) |
| DR | Designated Representative |
| ELP | El Paso (nonattainment area) |
| EP | emission point |
| EPA | U.S. Environmental Protection Agency |
| EU | emission unit |
| FCAA Amendments | Federal Clean Air Act Amendments |
| FOP | federal operating permit |
| GF | grandfathered |
| gr/100 scf | grains per 100 standard cubic feet |
| HAP | hazardous air pollutant |
| H/G/B | Houston/Galveston/Brazoria (nonattainment area) |
| H ₂ S | hydrogen sulfide |
| ID No. | identification number |
| lb/hr | pound(s) per hour |
| MMBtu/hr | Million British thermal units per hour |
| MRRT | monitoring, recordkeeping, reporting, and testing |
| NA | nonattainment |
| N/A | not applicable |
| NADB | National Allowance Data Base |
| NO _x | nitrogen oxides |
| NSPS | New Source Performance Standard (40 CFR Part 60) |
| NSR | New Source Review |
| ORIS | Office of Regulatory Information Systems |
| Pb | lead |
| PBR | Permit By Rule |
| PM | particulate matter |
| ppmv | parts per million by volume |
| PSD | prevention of significant deterioration |
| RO | Responsible Official |
| SO ₂ | sulfur dioxide |
| TCEQ | Texas Commission on Environmental Quality |
| TSP | total suspended particulate |
| TVP | true vapor pressure |
| U.S.C. | United States Code |
| VOC | volatile organic compound |